

CUMULATIVE INDEX 1993

Volume 77

| | |
|-----------|--|
| January | CONTEMPORARY CLINICAL NEUROLOGY, pages 1-287 |
| March | MEDICAL CONSULTATION, pages 289-515 |
| May | UPDATE IN OTOLARYNGOLOGY-HEAD AND NECK SURGERY II, pages 517-710 |
| July | CLINICAL NUTRITION, pages 711-938 |
| September | GASTROINTESTINAL EMERGENCIES, pages 939-1204 |
| November | TUBERCULOSIS, pages 1205-1447 |

Note: Page numbers of article titles are in **boldface** type

- Abdominal disease, in tuberculosis, in HIV-infected patient, 1378
- Abdominal distention, with toxic megacolon, 1136
- Abdominal hernias, surgical mortality with, 331
- Abdominal pain, acute, internist's approach to, **963-972**
of intestinal origin, clinical context of, 939-941
evaluation of difficult case in, 959
localizing patterns of, 940
radiologic evaluation of, **939-961**
initial approach to, 941-942
plain film, 942-943
patterns of, 964
imaging studies for, 941
in diverticulitis, 1150
right lower quadrant, 949-953
with acute lower gastrointestinal bleeding, causes of, 1087
- Abdominal radiography, in toxic megacolon, 1137
- Abdominal surgery, preoperative pulmonary function testing for, 309-311
- Abdominal tenderness, with toxic megacolon, 1136
- Abdominal trauma, and acute pancreatitis, 1040
- Abscess, in diverticulitis, 1153-1154
- Absorbent agents, for acute infectious diarrhea, 1185
- Acetaminophen, absorption of, influence of food on, 818
and fulminant liver failure, 1060
- Acetazolamide, for intracranial hypertension, 67
- Acetylcysteine, for fulminant liver failure, 1074
supplementation with, in AIDS, 806
- Acidosis, in malignant hyperthermia, 485
- Acoustic analysis, in voice disorders, 554-555
- ACTH, for toxic megacolon, 1142
- Actinomyces* infection, of cervical lymph nodes, fine-needle aspiration of, 615
- Acyclovir, for herpes simplex encephalitis, 37
morbidity after, 31
- Adenosine-thallium myocardial imaging, for vascular surgery, 385-388
semiquantitative analysis of, 386-387
- Adherence, bacterial, in acute infectious diarrhea, 1175-1176
- Adrenergic inhibitors, parenteral equivalents of, 359
- Adrenocorticotrophic hormone, for multiple sclerosis, 240
- Adult respiratory distress syndrome, in acute pancreatitis, 1049, 1051
- Advancement flap, for male pattern alopecia, 699-701
- Aerodynamic measures, in voice disorders, 554

- Africans, tuberculosis among, 1209-1210
- Age, and neuroleptic malignant syndrome, 186
- and perioperative transfusion, 343
- as risk factor for surgery, 327-333
- Aging, and head and neck cancer, 627
- and voice disorders, 564
- changes in, relevance to nutrition, 745-746
- lipids and, 750
- nutritional assessment in, 750-751
- trace elements and, 749
- Aging face, surgery of, 657-675
- AIDS, acute infectious diarrhea in, 1172-1173
- dietary interventions in, 803-807
- dietary recommendations for, practical, 807-808
- intestinal abnormalities in, 798-799
- malnutrition in, 795-814
- nontraditional diets in, 805
- secondary dementia with, 219
- total parenteral nutrition for, 869
- tuberculosis in, 1247
- multidrug-resistant, 1401
- public health and legal aspects of, 1383-1386
- treatment of, 1380-1383
- wasting in, paradigm for, 796-798
- Air disinfection, with ultraviolet germicidal irradiation, 1325-1330. *See also Ultraviolet germicidal irradiation (UVGI).*
- Air filtration, and tuberculosis infection risk, 1324-1325
- Air flow, directional, in control of tuberculosis, 1321-1322
- Air pressure, negative, for tuberculosis control, 1330-1331
- Airway obstruction, areas of, 542
- diagnosis of, 541-542
- glottic, subglottic, and tracheal, 543-545
- new modalities in treatment, 539-549
- symptoms of, 541
- upper, origins of, 540
- Airway pressure, and intracranial hypertension, 63
- Akinesia, paroxysmal, in multiple sclerosis, therapy for, 236
- Alcohol, abuse of, and voice disorders, 565
- and acute pancreatitis, 1039
- and hypertension, 843
- and osteoporosis, 895-896
- effect on drug metabolism, 825
- Alcoholism, and head and neck cancer, 626
- chronic, secondary dementia with, 223
- Alkaline phosphatase, abnormal, in pregnancy, 1116
- Allergy, in voice disorders, diagnosis and treatment of, 562
- Alloplastic grafts, for oromandibular defect, 683
- Alloplastic implants, anatomically designed, for facial rejuvenation, 670
- Alopecia, male pattern, clinical manifestations of, 691-693
- etiology of, 690-691
- hair replacement surgery for, 689-703
- Hamilton classification of, 692
- history of, 690
- patterns of, 691
- Alpha-tocopherol, absorption of, influence of food on, 818
- with vitamin A, for myelodysplastic disorders, 925
- Amantadine, for fatigue, in multiple sclerosis, 233-234
- for neuroleptic malignant syndrome, 196, 481
- for Parkinson's disease, 176
- Ambulatory surgery, 365-375
- delivery sites for, 367
- facilities for, improved, 366-367
- mobile, 367-368
- factors contributing to, 365
- future of, 374
- new surgical techniques for, 368-371
- physician ownership of, 373
- regulations for, 373-374
- American Heart Association diet, for coronary heart disease prevention, 859
- Amikacin, for tuberculosis, 1283-1284
- Amino acids, in parenteral therapy, for head and neck cancer, 606
- need in athletic performance, 760
- Aminoglycoside(s), for diverticulitis, 1160-1161
- for infection prophylaxis, in colorectal surgery, 431
- in gastroduodenal surgery, 431
- in genitourinary surgery, 432
- Aminosalicylate. *See Para-amino salicylic acid.*
- Aminotransferases, abnormal, in pregnancy, 1117
- Amisulpride, for emotional lability, in multiple sclerosis, 235
- Amoxicillin, absorption of, influence of food on, 818
- for bacterial endocarditis prophylaxis, 437-438
- Ampicillin, absorption of, influence of food on, 818
- for bacterial endocarditis prophylaxis, 437-438
- for diverticulitis, 1161
- for infection prophylaxis, in genitourinary surgery, 432

- Amylase, elevations of, conditions with, 1043
 urinary excretion of, in acute pancreatitis, 1045
 Amyloidosis, systemic, primary, and peripheral neuropathy, 133-135
 Analgesics, for diabetic neuropathy, 120
 for vocal dysfunction, 568
 Anaphylactic reactions, to foods, 715
 Anaplastic carcinoma, of thyroid, 522
 treatment of, 531
 Anatomic abnormalities, dysphagia in, 574
 Anemia, effect on operative mortality and morbidity, 338-340
 in acutely ill hospitalized patients, 911-918
 perioperative, animal studies of, 340-341
 recommendations in, 342-343
 postoperative cardiac mortality and morbidity with, 340
 with antituberculous drugs, in HIV-infected patients, 1381
 with folic acid deficiency, 911-913
 with iron deficiency, 915-916
 with toxic megacolon, 1139
 with vitamin B₁₂ deficiency, 913-915
 with vitamin K deficiency, 917
 Anergy, with tuberculin skin testing, 1245
 Anesthesia, and handling of viscera, pulmonary complications of, 311
 and hemodynamic instability, 350
 and malignant hyperthermia, 484
 improved, for ambulatory surgery, 371-372
 Aneurysm, subarachnoid, and headache, 149-151
 Angiodysplasia, and acute lower gastrointestinal bleeding, 1095-1097
 and nonvariceal upper gastrointestinal bleeding, 984
 Angioedema, following tonsillitis, 714
 Angiography, for acute lower gastrointestinal bleeding, 1090-1091, 1099
 Angiotensin-converting enzyme inhibitors, for hypertension, and operative risk reduction, 357
 Ankylosing spondylitis, surgical patient with, management of, 461
 Anorexia, in AIDS, dietary interventions in, 803
 wasting and, 799
 in cancer, 732
 Anorexia nervosa, 905-906
 Anoscopy, for acute lower gastrointestinal bleeding, 1088-1089, 1092
 Antacids, for stress ulceration, 499-500
 Antibiotics, and surgical infection risk, 429-430
 and voice disorders, 565
 for acute cholangitis, 1021-1022
 for acute infectious diarrhea, 1185-1188
 for diverticulitis, 1160
 for vocal dysfunction, 567
 intravenous, for toxic megacolon, 1143
 prophylactic, in head injury, 55
 Anticholinergic agents, and toxic megacolon, 1135
 Anticholinergic effects, of antidepressants, 444
 of neuroleptic agents, 447
 Anticonvulsants, and intracranial hypertension, 64
 for diabetic neuropathy, 120
 Antidepressants, and confusional states, 224-225
 physiologic effects of, 444
 Antidiarrheals, narcotic, and toxic megacolon, 1135
 Antiepileptic drugs, and oral contraceptives, 209-210
 for first seizure, 203-205
 laboratory monitoring of, 206-208
 teratogenic effects of, 207-209
 Antigen-antibody tests, for tuberculosis diagnosis in children, 1343
 Anti-GM₁ antibodies, and lower motor neuron syndromes, 130-131
 Antihistamines, and voice disorders, 565
 for vocal dysfunction, 567
 Antihypertensive medications, parenteral equivalents of, 359
 Anti-inflammatory drugs, nonsteroidal, and diverticulitis, 1156
 Antimicrobial prophylaxis, for surgery, 427-441
 Antimicrobial resistance, definition of, 1393-1394
 Antimicrobial therapy, for acute infectious diarrhea, 1186
 for diverticulitis, 1161
 Antimotility agents, for acute infectious diarrhea, 1184
 Antimycobacterial drugs (therapy). See also *Antituberculous drugs (therapy)*.
 mechanism of action of, impact on dosing regimens, 1254-1255
 pharmacology of, 1253-1262
 therapeutic ranges of, 1260
 use of, 1255-1258
 Antioxidants, supplementation with, in AIDS, 805-806
 Antiphospholipid antibody syndrome, and ischemic stroke, 84-86
 Antipsychotic agents, in perioperative period, 447
 Antipyrene, absorption of, influence of food on, 818

- Antisecretory agents, for acute infectious diarrhea, 1185
- Antithrombin III, inherited deficiency of, and ischemic stroke, 81-82
- Antituberculous drugs (therapy), adverse reactions to, in elderly, 1363
- compliance with, **1289-1301**
- in HIV-infected patients, 1382-1383
- incentives and enablers for, 1299-1300
- for children, dosage characteristics of, 1345
- general recommendations for, 1284-1285
- in HIV-infected patients, major adverse reactions to, 1381
- noncompliance with, groups at risk for, 1290-1293
- historical evidence of, 1290
- management of, 1295-1299
- blood testing, 1296
- directly observed therapy, 1296-1299
- pill counts, 1295
- urine testing, 1295-1296
- problems of, 1289-1290
- potentially effective, 1283-1284
- second-line, 1282-1283
- toxicity profiles of, 1279-1282
- treatment considerations in, 1285
- Antiviral agents, for vocal dysfunction, 567
- Anus, foreign bodies in, problems with removal, 1104
- Anxiety, and voice disorders, diagnosis and treatment of, 555-556
- Aortic aneurysm, abdominal, acute abdominal pain in, 969-970
- Aortic revascularization, cardiac risk stratification in, 390
- Aortoenteric fistula, and nonvariceal upper gastrointestinal bleeding, 986-987
- APACHE-II system, for pancreatitis prognosis, 1048
- Appendicitis, acute, acute abdominal pain with, 964-965
- differential diagnosis of, 949-953
- barium enema for, 949
- computed tomography of, 952-953
- sonography of, 950-951
- Appendicolith, radiographic identification of, 951
- Appetite suppressants, for obesity, 903
- Ara-C, for myelodysplastic disorders, 927
- Arboviruses, and viral encephalitis, 27-29
- Arm ergometry, for vascular surgery, 383
- Arrhythmias, in malignant hyperthermia, 484
- with antidepressants, 444
- Arterial blood gases, preoperative, 316
- Arteriosclerotic disease, and perioperative transfusion, 342-343
- Arteriovenous malformation, and acute lower gastrointestinal bleeding, 1096
- and headache, 151-152
- and nonvariceal upper gastrointestinal bleeding, 984
- Arteritis, and headache, 156
- Arthritis, toxic megacolon vs, 1132
- with diverticulitis, 1155
- Ascites, with acute fatty liver of pregnancy, 1118
- Asia, tuberculosis in, 1210-1212
- Aspartate aminotransferase, abnormalities of, 297
- Aspiration, after head injury, 46
- with dysphagia, 575-576
- management of, 580-581
- Aspirin, absorption of, influence of food on, 818
- in cerebral ischemia prevention, 103-105
- Astemizole, absorption of, influence of food on, 818
- Asthma, food allergy and, 715
- Ataxia, paroxysmal, in multiple sclerosis, therapy for, 236
- with hypothyroidism, 256
- Atenolol, absorption of, influence of food on, 818
- Atherosclerosis, in diabetes, risk of, 97
- Athletes, dietary recommendations for, 769-770
- eating patterns of, individual and social factors in, 769
- energy needs of, 768-769
- nutrition assessment of, 768
- Athletic performance, carbohydrate utilization during, 758
- diet and, 757-772
- dietary fat utilization during, 761-762
- ergogenic aids in, 766-768
- fluid and electrolyte balance in, 766
- mineral utilization during, 762-765
- protein utilization during, 759-761
- vitamin utilization during, 762-765
- Atrioventricular block, with tricyclic antidepressants, 445
- Autografting, for male pattern alopecia, 690
- Autoimmune disorders, dysphagia in, 575
- neuroleptic malignant syndrome vs, 194
- Autonomic instability, in neuroleptic malignant syndrome, 189
- Autonomic neuropathy, diabetic, 115-116
- Azathioprine, for monoclonal gammopathy of undetermined significance, 129
- for multiple sclerosis, 241

- Aztreonam, for genitourinary surgery infection prophylaxis, 433
- Bacille Calmette-Guérin, effect of ultraviolet germicidal irradiation on, 1329
- Bacitracin, for acute infectious diarrhea, 1186
- Baclofen, for spasticity, in multiple sclerosis, 232
- Bacteremia, in extrapulmonary tuberculosis, in HIV-infected patient, 1378
with total parenteral nutrition, 876
- Bacterial adherence, in acute infectious diarrhea, 1175-1176
- Bacterial endocarditis, conditions predisposing to, 436
prevention of, 435-438
antibiotic regimens for, 437-438
procedures warranting, 436
- Bacterial invasion, in acute infectious diarrhea, 1176-1177
- Baldness, male pattern, hair replacement surgery for, 689-703. See also *Alopecia*.
- Balloon tamponade, for gastroesophageal variceal hemorrhage, 999-1001
- Barbiturate(s), and voice disorders, 565
for intracranial hypertension, 67-69
- Barbiturate coma, for fulminant liver failure, 1071
- Barium enema, air contrast, for acute lower gastrointestinal bleeding, 1092
and toxic megacolon, 1135
for appendicitis diagnosis, 949
- Basal energy expenditure, calculation of, 604
Harris-Benedict equation for, 470
- BCG vaccination, against tuberculosis, 1246
- Bee pollen, and athletic performance, 766-767
- Beef, charcoal-broiled, effect on drug metabolism, 824
- Behavioral therapy, for obesity, 902
- Benzodiazepines, for neuroleptic malignant syndrome, 197
for spasticity, in multiple sclerosis, 232-233
in perioperative period, 447-448
- Beta-blockers, for hypertension, and operative risk reduction, 357
- Beta-carotene, role in cancer incidence, 730
- Bile reflux theory, of acute pancreatitis, 1025, 1037-1038
- Biliary colic, acute abdominal pain in, 966-967
with cholelithiasis, 417
- Biliary sludge, pathogenesis of, 415
- Biliary tract, disease of, surgical mortality with, 332
emergencies of, 1015-1036
gas in, with pneumoperitoneum, 945
surgery of, antimicrobial prophylaxis for, 431-432
ultrasonography of, in acute pancreatitis, 1046
- Bilirubin level, in fulminant liver failure, and prognosis, 1068
- Biologic assays, for acute infectious diarrhea, 1182
- Birth defects, antiepileptic drugs and, 207-209
- Bladder dysfunction, in multiple sclerosis, therapy for, 237-238
- Bleeding, and perioperative transfusion, 342
upper gastrointestinal, nonvariceal, 973-992. See also *Upper gastrointestinal bleeding*.
- Blepharoplasty, indications for, 666-668
preoperative assessment for, 668
- Blood-borne infections, in head injury, 55
- Blood chemistries, for nutritional status monitoring, 471
- Blood donors, policy changes regarding, for infection reduction, 339
- Blood glucose, control of, for diabetic neuropathy, 120
- Blood pressure. See also *Hypertension*.
and intracranial hypertension, 63-64
control of, and operative risk reduction, 356-358
preoperative, need for, 349-363
recommendations for, 358-360
- Blood supply, improved safety of, 338-339
- Blood testing, for antituberculous therapy noncompliance, 1296
- Blood transfusion. See *Transfusion*.
- Body composition, of normal man, 598
- Body fat, distribution of, and obesity-hypertension, 836-837
- Body weight, components of, 600
role in cancer incidence, 729-730
- Bone, calcium and, 890-891
parathyroid hormone and, 891
vitamin D and, 891
- Bone grafts, autogenous, for oromandibular defect, 683
- Bone marrow transplantation, for cancer, parenteral nutrition with, 735-736
for myelodysplastic disorders, 920-921
- Bone mass, dietary calcium and, 891-892
in elderly, 749
low, in osteoporosis, 890
supplemental calcium and, 892-893

- Booster phenomenon, with tuberculin skin testing, 1244-1245, 1267
- Bowel, dilatation of, with pneumoperitoneum, 945
- ischemic disease of, acute abdominal pain in, 968-969
- obstruction of, 947
- with acute diverticulitis, 954
- Bowel pattern, change in, in diverticulitis, 1150
- Bowel rest, for diverticulitis, 1160
- Bowel wall, edema of, with ileus, 948
- with intestinal ischemia, 958
- in toxic megacolon, contour of, 1137
- severe inflammation of, 1134
- ulcerations of, 1137
- Brachial plexus metastasis, of systemic cancer, complications of, 271-272
- Brain, abscess of, in head injury, 56
- cancer metastasis to, complications of, 266-267
- surgical resection of, 267-268
- infections of, neuroleptic malignant syndrome vs, 192-193
- structural pathology of, neuroleptic malignant syndrome vs, 193
- Breast cancer, dietary intervention in, 737-738
- role of dietary fat in, 726-727
- role of dietary fiber in, 728
- Breast-feeding, tuberculosis treatment during, 1285
- Breathiness, in voice disorders, 552
- Bromocriptine, for neuroleptic malignant syndrome, 196, 481
- for Parkinson's disease, 174-175
- Bromodeoxyuridine, for photodynamic therapy, in head and neck cancer, 592
- Budd-Chiari syndrome, and fulminant liver failure, 1060
- with toxemia of pregnancy, 1119-1120
- Building ventilation, in control of tuberculosis, 1321-1322
- limited protection of, 1322-1324
- Bulimia nervosa, 906-907
- C1-C2 joint disease, surgical patient with, management of, 453-454
- Cachexia, in AIDS, 797
- in cancer, 732
- Caffeine, and osteoporosis, 895-896
- in athletic performance, 767
- Calcium, and bone, 890-891
- deficiency of, in osteoporosis, 890
- dietary, and hypertension, 841-842
- for osteoporosis, 889-898
- in childhood, 893
- in elderly, 748-749, 893
- in women, 893
- intake of, effect in nephrotic syndrome, 791
- in nephrolithiasis, 785
- supplemental, 894-895
- utilization in athletic performance, 764
- California encephalitis, virus causing, 28-29
- Calories, in diabetic diet, 774
- need for, determination of, 469-470
- restriction of, for obesity, 901-902
- Campylobacter* infection, toxic megacolon in, 1133
- Cancer, and voice disorders, 565-566
- diet as risk and therapy for, 725-744
- dietary guidelines in, 738-740
- dietary intervention trials in, 736-740
- end-stage, total parenteral nutrition for, 869
- incidence of, role of body weight in, 729-730
- role of micronutrients in, 730-731
- role of specific nutrients in, 725-731
- systemic, neurologic complications of, 265-278
- nonmetastatic, 272-277
- with treatment, 275-276
- therapy for, nutrients as, 731
- thyroid, 517-538. See also *Thyroid, cancer of*.
- Cancer patients, parenteral nutrition in, 731-736
- with bone marrow transplantation, 735-736
- with chemotherapy, 734-735
- with radiation therapy, 734
- with surgical treatment, 733-734
- Capreomycin, dosage and toxicity profile of, 1283
- for tuberculosis, in children, dosage characteristics of, 1345
- in HIV-infected patient, 1380
- use of, 1258
- therapeutic range for, 1260
- Captopril, absorption of, influence of food on, 818
- Carbamazepine, absorption of, influence of food on, 818
- for paroxysmal disorders, in multiple sclerosis, 236
- Carbohydrates, effect on drug metabolism, 822
- in diabetic diet, 774-775
- loading with, before athletic events, 758
- utilization by skeletal muscle, 758-759
- Carbon dioxide, increased production of, in malignant hyperthermia, 484

- Cardiac catheterization, as ambulatory surgery, 370
- Cardiac complications, increased risk in vascular surgery, 377-379
- Cardiac conduction delay, with antidepressants, 444
- Cardiac disorders, and perioperative transfusion, 342-343
with anorexia nervosa, 906
- Cardiac risk, stratification of, prior to vascular surgery, 377-396
with revascularization procedure, 379
- Cardiac risk index, multifactorial, computation of, 380-381
- Cardiac surgery, antimicrobial prophylaxis for, 430
preoperative pulmonary testing in, 321-322
- Cardiopulmonary risk, determination of, 321
- Cardiovascular complications, in fulminant liver failure, 1066
- Cardiovascular decompensation, in acute pancreatitis, 1051
- Cardiovascular effects, of head injury, 43-44
- Cardiovascular factors, and surgical mortality, 328-329
- Carnett's sign, with chronic abdominal pain, 963
- Carotid artery, bruits of, asymptomatic, in diabetes, 99
dissection of, and headache, 152-153
endarterectomy of, 106-107
cardiac risk stratification in, 390
stenosis of, asymptomatic, in diabetes, 99
- Catatonia, lethal, neuroleptic malignant syndrome vs, 193, 480
- Catheter, colonization of, in total parenteral nutrition, 876
- Cefaclor, absorption of, influence of food on, 818
- Cefazolin, for infection prophylaxis, in biliary tract surgery, 431-432
in cardiac surgery, 430
in gastroduodenal surgery, 431
in genitourinary surgery, 432-433
in gynecologic/obstetric surgery, 433
in neurosurgery, 433
in orthopedic surgery, 434
in otolaryngologic surgery, 434-435
in peripheral vascular surgery, 435
in thoracic surgery, 435
- Cefoxitin, for diverticulitis, 1160-1161
for infection prophylaxis, in colorectal surgery, 431
- Celiac sprue, diet in, 885-886
- Cellular immunity, in head and neck cancer, 628-629
in tuberculosis infection, 1236
delayed hypersensitivity vs, 1240
development of, 1240-1243
role of macrophage in, 1242-1243
role of T lymphocytes in, 1240-1242
- Central nervous system, angitis/vasculitis of, and headache, 161
disorders of, neuroleptic malignant syndrome vs, 480
with hyperparathyroidism, 258-259
with hypoparathyroidism, 259
with hypothyroidism, 256
human immunodeficiency virus type 1 in, 2
in tuberculosis, in HIV-infected patient, 1378
infections of, with systemic cancer, 273-274
lymphomas of, with HIV infection, 12
- Central venous catheter, for total parenteral nutrition, 870
- Cephalexin, absorption of, influence of food on, 818
- Cephadrine, absorption of, influence of food on, 818
- Cerebellum, dysfunction of, in multiple sclerosis, therapy for, 238-239
hemorrhage in, headache with, 155
- Cerebral edema, in fulminant liver failure, 1062-1064
- Cerebral infarctions, in diabetes, 99-100
- Cerebral ischemia, prevention of, aspirin in, 103-105
- Cerebrospinal fluid, examination of, for viral encephalitis diagnosis, 35
removal of, for intracranial hypertension, 70
- Cerebrovascular disorders, in diabetes, types of, 98-101
with systemic cancer, 274-275
- Cervical lymph nodes/cysts, fine-needle aspiration of, evaluation of, 614-617
- Cervical lymphadenitis, in tuberculosis in children, 1340
- Charcot's triad, in acute cholangitis, 1021
- Chemical peel, indications for, 662
preoperative assessment for, 662, 664
results of, 663
- Chemotherapy, enteritis with, total parenteral nutrition for, 869
for cancer, parenteral nutrition with, 734-735
neurologic complications of, 276
- Chenodiol, for cholelithiasis, 418-419
- Chest radiograph, preoperative, 300-301
- Childhood, calcium in, 893
- Children, tuberculosis in, 1335-1351. See also *Tuberculosis, in children.*

- Chlorambucil, for monoclonal gammopathy of undetermined significance, 129
- Chlorpromazine, absorption of, influence of food on, 818
- Chlorthalidate, absorption of, influence of food on, 818
- Choking, in voice disorders, 553
- Cholangitis, acute, 1020-1023
 antibiotics for, 1021-1022
 approach to patients with, 1024
 clinical presentation and diagnosis of, 1021
 endoscopic management of, 1022-1023
 etiology of, 1020
 pathophysiology of, 1020
 percutaneous transhepatic biliary drainage for, 1022
 surgical decompression of, 1022
 treatment of, 1021-1022
- Cholecystectomy, conventional, for cholelithiasis, 422
 for biliary pancreatitis, 1053
 laparoscopic, as ambulatory surgery, 368-371
 for cholelithiasis, 422-423
- Cholecystitis, acute, 1015-1018
 acalculous, 1018-1019
 acute abdominal pain in, 967
 clinical presentation and diagnosis of, 1016-1017
 incidence and prevalence of, 1016
 pathophysiology of, 1016
 prevention of, 1018
 treatment of, 1017-1018
 with total parenteral nutrition, 473
- Cholelithiasis. *See also Gallstones.*
 associated disorders with, 414
 clinical manifestations of, 417-418
 diagnosis of, 417-418
 medical management of, approaches to, 413-426
 pathogenesis of, 413-417
 risk factors for, 415-416
 therapy for, contact dissolution, 420-421
 medical, 418-422
 oral dissolution, 418-420
 surgical, 422-423
- Cholestasis, intrahepatic, of pregnancy, 1117
- Cholesterol, dietary, and coronary heart disease, 850
- Cholesterol gallstones, pathogenesis of, 413-414
 risk factors for, 415-416
- Cholestyramine resin, for acute infectious diarrhea, 1185
- Chromatography, for tuberculosis diagnosis in children, 1343
- Chromium, utilization in athletic performance, 765
- Chronic care facilities, acute infectious diarrhea in, 1172
- Chronic disease, anemia of, iron deficiency anemia vs, 917
- Chronic obstructive pulmonary disease, secondary dementia with, 223
- Churg-Strauss angitis, and headache, 160
- Ciguatoxin, in fish, poisoning with, 718
- Cilastatin, for diverticulitis, 1161
- Cimetidine, absorption of, influence of food on, 818
 for stress ulceration, 499
- Ciprofloxacin, for acute infectious diarrhea, 1186-1187
 for infection prophylaxis, in genitourinary surgery, 433
 for tuberculosis, 1284
 role of, 1258
 prophylactic, in necrotizing pancreatitis, 1050
 therapeutic range for, 1260
- Circulatory overload, with transfusion, 338
- Cirrhosis, hepatic, gastroesophageal varices in, 994
- Cisplatin chemotherapy, neurologic complications of, 276
- Clindamycin, for bacterial endocarditis prophylaxis, 437
 for diverticulitis, 1160
 for infection prophylaxis, in colorectal surgery, 431
 in gastroduodenal surgery, 431
 in neurosurgery, 433
 in otolaryngologic surgery, 435
- Clonidine, for hypertension, and operative risk reduction, 357
- Clostridium difficile* infection, toxic megacolon in, 1133
- Cluster headache, 145-147
- Coagulation, preoperative testing of, 298-299
- Coagulopathy, after head injury, 47-49
 in fulminant liver failure, 1065
- Cocaine, and fulminant liver failure, 1060
 and voice disorders, 565
- Colchicine, for gout, in surgical patient, 458-459
- Colectomy, in toxic megacolon, 1144
 segmental, for acute lower gastrointestinal bleeding, 1094
- Colitis, ischemic, and acute lower gastrointestinal bleeding, 1097
- pseudomembranous, toxic megacolon in, 1133-1134
- Collagen vascular diseases, secondary dementia with, 220-221

- Collapse therapy, for tuberculosis, history of, 1277
- Colon, cancer of, and acute lower gastrointestinal bleeding, 1097
- role of dietary fat in, 727
- role of dietary fiber in, 728-729, 883
- surgical mortality with, 331-332
- foreign bodies in, problems with removal, 1104
- polyps of, and acute lower gastrointestinal bleeding, 1097
- ulceration of, in toxic megacolon, 1135
- Colonoscopy, for acute lower gastrointestinal bleeding, 1089, 1094
- Colorectal surgery, antimicrobial prophylaxis for, 431
- Colovaginal fistula, with diverticulitis, 1151
- Colovesicular fistula, with diverticulitis, 1151
- Common channel theory, of acute pancreatitis, 1025
- Complete blood count, preoperative, 292-295
- Computed tomography, for viral encephalitis diagnosis, 35
- in acute pancreatitis, 1046-1047
- of appendicitis, 952-953
- of Crohn's disease, 957
- of diverticulitis, 1158-1159
- acute, 954-955
- of inflammatory bowel disease, 956-957
- Confidentiality, in directly observed therapy, for antituberculous therapy noncompliance, 1298
- in tuberculosis in AIDS patients, 1384
- Confusional states, 224-225
- Congestive heart failure, with intraoperative hypertension, 355
- Contact investigations, in tuberculosis treatment, 1308-1309
- Containment, in tuberculosis control, 1306-1309
- Contrast enema, in diverticulitis, 1156-1159
- Control measures, personal, in tuberculosis in AIDS patients, 1384
- Copolymer 1, for multiple sclerosis, 243-244
- Coronary angiography, clinical risk stratification in, 381-382
- Coronary artery disease, with vascular disease, 377
- Coronary revascularization, approach to patient, 391
- cardiac risk stratification in, 389-390
- Corticospinal tract disease, with hyperthyroidism, 252
- Corticosteroids, and antituberculous therapy, 1285
- and diverticulitis, 1156
- for epidural metastatic spinal cord compression, 271
- for fulminant liver failure, 1073
- for intracranial hypertension, 69-70
- for vocal dysfunction, 567-568
- Coughing, and intracranial hypertension, 63
- with dysphagia, 575-576
- 13-CRA, for myelodysplastic disorders, 921-926
- Cranial arteries, spontaneous dissection of, and headache, 152-154
- Cranial mononeuropathy, diabetic, 118
- Cranial nerve palsies, with human immunodeficiency virus infection, causes of, 7
- Cricoarytenoid joint disease, surgical patient with, management of, 454
- Cricopharyngeal myotomy, for dysphagia, 579-580
- Cricothyroidotomy, for airway obstruction, 542-543
- Crohn's disease, acute presentation in, 956
- and toxic megacolon, 1131
- computed tomography of, 957
- total parenteral nutrition for, 868-869
- toxic megacolon in, outcome in, 1144
- Cruciferous vegetables, effect on drug metabolism, 823-824
- Cryptococcal meningitis, with human immunodeficiency virus infection, 4-5
- Cullen's sign, in acute pancreatitis, 1026
- Cyclophosphamide, for multiple sclerosis, 242
- Cycloserine, dosage and toxicity profile of, 1283
- for tuberculosis, in children, dosage characteristics of, 1345
- in HIV-infected patient, 1380
- use of, 1256
- therapeutic range for, 1260
- Cyclosporine, for multiple sclerosis, 241
- for toxic megacolon, outcome in, 1145
- Cystic mass, of neck, diagnosis of, fine-needle aspiration for, 616-617
- Cytomegalovirus, and viral encephalitis, 31-32
- with human immunodeficiency virus infection, 15-16
- Cytosine arabinoside, for myelodysplastic disorders, 920
- Cytotoxins, in acute infectious diarrhea, 1178-1179
- Danazol, for myelodysplastic disorders, 920
- Dantrolene, for malignant hyperthermia, 485, 487-488

- Dantrolene (*Continued*)
 for neuroleptic malignant syndrome, 196-197, 481
 for spasticity, in multiple sclerosis, 233
- Day care centers, infants in, acute infectious diarrhea in, 1170-1171
- Decompression, of toxic megacolon, 1141-1142
- Deep vein thrombosis, after head injury, 46-47
 in multiple trauma patient, 502-504
 pathophysiology of, 397-398
 prophylaxis against, in hip fracture, 404-405
 in multiple trauma patient, 503
 in orthopedic surgery, 397-411
 in total hip replacement, 403-404
 in total knee replacement, 405-407
 modalities for, 400-402
 new methods of, 407-409
 recommended, 402-407
 risk factor classification for, 398-399
- Dehydration, in elderly, 752
- Delayed hypersensitivity, cell-mediated immunity vs, in tuberculosis infection, 1240
- Delusional disorders, dementia vs, 225-226
- Dementia(s), in Parkinson's disease, 178-179
 reversible, 215-230
 categories of, 215-217
 drugs causing, 217, 224-225
 secondary, 217-224
- Depression, dementia vs, 225-226
 in multiple sclerosis, therapy for, 234
 in Parkinson's disease, 178-179
- Dermatochalasis, upper eyelid, blepharoplasty for, 666-668
- Desipramine, for depression, in multiple sclerosis, 234
- Dexamethasone, for intracranial hypertension, 69-70
- Dextran prophylaxis, for deep vein thrombosis/pulmonary embolism, 402
- Dextrose, in parenteral therapy, for head and neck cancer, 606
- Diabetes, and gallstone formation, 416
 cerebrovascular disease in, types of, 98-101
 diet and, 773-782
 special needs in, 777-778
 dietary fiber in, 882
 infections in, vascular disorders produced by, 97
 neuropathies associated with, 111-124
 classification of, 113-114
 clinical characteristics of, 114-118
 diagnosis of, 112-113
 epidemiology of, 111-112
 painful, acute, 115
 pathogenesis of, 119
 pathophysiology of, 118-119
 treatment of, 119-121
 sickness and travel with, 778
 stroke in, 95-110
 epidemiology of, 95-96
 evaluation of, 101-102
 paraclinical evaluation of, 100-101
 pathogenesis of, 96-98
 pathology of, 96
 pathophysiology of, 98
 treatment of, 102, 106
 tuberculosis risk with, 1266
- Dialysis, maintenance, dietary management in, 789-790
 secondary dementia with, 224
- Diarrhea, acute, differential diagnosis of, 1188-1189
 chronic, in AIDS, 795
 infectious, acute, 1169-1196
 diagnostic work-up for, 1179-1182
 epidemiology of, 1170-1174
 high-risk groups for, 1170-1174
 in military operations, 1174
 magnitude and prevalence of, 1169-1170
 mechanisms of pathogenesis in, 1174-1179
 stool culture for, 1180
 treatment options in, 1182-1188
 with acute lower gastrointestinal bleeding, causes of, 1087
 with total parenteral nutrition, 474, 877
- Diazepam, absorption of, influence of food on, 818
 for spasticity, in multiple sclerosis, 232-233
- Dicumarol, absorption of, influence of food on, 818
- Diet(s), and athletic performance, 757-772
 and diverticulosis, 1150
 and gastrointestinal disease, 881-887
 as culprit or therapy, 783-794
 as risk and therapy for cancer, 725-744
 compliance with, in diabetes, 777
 diabetes and, 773-782
 effect on drug metabolism, 821
 impact on coronary heart disease, 849-862
 in elderly, 745-756
 in hypertension genesis and treatment, 831-847
 in renal stone disease, 783-788
 nontraditional, in AIDS, 805
- Dietary intervention trials, for cancer, 736-740
- Dietary protocol, for nutrition care plan, in athletes, 768-769

- Dieulafoy's lesions, and nonvariceal upper gastrointestinal bleeding, 985
- Digoxin, absorption of, influence of food on, 818
- Dihematoporphyrin ethers, in photodynamic therapy, of head and neck cancer, 584-586
- Dihydroergotamine, in cerebral ischemia prevention, 104
- Dildo, in rectum, problems with removal, 1104
- Diphenhydramine hydrochloride, for vocal dysfunction, 568
- Diphenoxylate, for acute infectious diarrhea, 1184
- Dipyridamole, echocardiography with, for preoperative vascular surgery assessment, 389
- in cerebral ischemia prevention, 103-104
- myocardial imaging with, for vascular surgery, 384-385
- Direct smear, for tuberculosis diagnosis in children, 1343
- Directly observed therapy (DOT), for antituberculous therapy non-compliance, 1296-1299, 1307-1308
- how to administer, 1297-1299
- problems with, 1299
- Disease, underlying, and surgical mortality, 329
- Disseminated intravascular coagulation, after head injury, 48-49
- and ischemic stroke, 86-87
- with systemic cancer, 275
- Disulfiram reactions, with alcohol, 826
- Diuretics, and voice disorders, 565
- for renal failure, in fulminant liver failure, 1072
- for viral encephalitis, 37
- for vocal dysfunction, 568
- in parenteral therapy, for head and neck cancer, 607
- parenteral equivalents of, 359
- Diverticular disease, and acute lower gastrointestinal bleeding, 1095
- Diverticulitis, 1149-1167
- acute, abdominal pain in, 953-956
- computed tomographic criteria for, 955
- evaluation and diagnosis of, 1152
- stages of, 954-956
- clinical presentation of, 1150-1151
- complications of, 1151-1155
- abscess, 1153-1154
- fistula, 1151-1153
- obstruction, 1153
- perforation and peritonitis, 1155
- computed tomography in, 1158-1159
- contrast enema in, 1156-1159
- diagnostic clues on, 1153
- diagnostic evaluations of, 1156-1160
- endoscopy in, 1160
- surgery for, 1162-1164
- treatment of, 1160-1164
- ultrasonography in, 1159
- uncommon manifestations and associations of, 1155-1156
- Diverticulosis, complications of, 1150
- fistulous, management of, 1164
- geographic prevalence of, 1149
- renal disease with, 1156
- DNA hybridization probes, for tuberculosis diagnosis in children, 1342-1343
- in molecular genetics of tuberculosis, 1222-1223
- Dobutamine echocardiography, for preoperative vascular surgery assessment, 389
- Domestic animals, and spread of tuberculosis, 1206
- Dopamine, role in Parkinson's disease, 172
- Dopamine agonists, for neuroleptic malignant syndrome, 196
- for Parkinson's disease, 174-175
- Dopaminergic agents, for neuroleptic malignant syndrome, 481
- Doxycycline, for acute infectious diarrhea, 1186
- for infection prophylaxis, in gynecologic/obstetric surgery, 433
- Drug(s), absorption of, sites of, 817
- and acute pancreatitis, 1042
- cognitive toxicity with, 217
- dosage form of, absorption and, 817
- effect of foods on, 815-829
- absorption, 816-821
- metabolism, 821-827
- food incompatibilities with, 826-827
- intoxication with, neuroleptic malignant syndrome vs, 194-195
- therapy with, for tuberculosis, in elderly, 1362-1363
- Drug-food interaction, definition of, 815-816
- Drug interactions, in tuberculosis treatment, in elderly, 1361
- with antidepressants, 444, 446
- with neuroleptic agents, 447
- Drug reactions, neuroleptic malignant syndrome vs, 480
- Dumping syndrome, postgastrectomy, diet in, 883-884
- Duodenal reflux theory, of acute pancreatitis, 1025-1026, 1038
- Dysarthria, paroxysmal, in multiple sclerosis, therapy for, 236
- Dysautonomias, with neuroleptic malignant syndrome, 479
- Dyskinesias, in Parkinson's disease, 178

- Dysphagia, aspiration in, management of, 580-581
 differential diagnosis of, 574-575
 evaluation of, 575-579
 endoscopic examination under anesthesia, 579
 history, 575-576
 manometry in, 578-579
 observation of swallowing, 576-577
 physical examination, 576-577
 radiographic analysis, 578
 multidisciplinary team approach to, 581
 neurologic examination in, 576-577
 therapy for, 579-580
 Dysphonia, spastic, thyroplasty for, 640
 Dysplasminogenemia, inherited, and ischemic stroke, 84
 Dysrhythmias, after head injury, 44
- Eastern equine encephalitis, virus causing, 28
- Echocardiography, in myocardial contusion, 495
- Eclampsia, with acute fatty liver of pregnancy, 1118
- Elderly, dehydration in, 752
 diet in, 745-756
 malnutrition in, 751-752
 protein requirements in, 749-750
 surgical mortality in, 330
 tuberculosis in, 1353-1368. See also *Tuberculosis, in elderly*.
 vitamins in, 746-749
- Electrocardiogram, for vascular surgery, 383-384
 in myocardial contusion, 494-495
 preoperative, 301-302
- Electrocoagulation, for nonvariceal upper gastrointestinal bleeding, 977-978
 clinical trials of, 982
- Electroconvulsive therapy, for neuroleptic malignant syndrome, 197
 medical evaluation for, 448-449
- Electrodiagnostic studies, for diabetic neuropathy, 112
- Electroencephalography, for intracranial hypertension, 68
 for viral encephalitis diagnosis, 34
- Electrolyte(s), abnormalities of, with toxic megacolon, 1136, 1139
 balance of, after head injury, 49-50
 in athletic performance, 766
 preoperative determination of, 295
- Electromyography, laryngeal, in voice disorders, 555
- Elemental diets, in head and neck cancer, 606
- Emotional impairment, in tuberculosis patient, risk of noncompliance in, 1291-1292
- Emotional lability, in multiple sclerosis, therapy for, 235
- Encephalitis, viral, 25-42. See also *Viral encephalitis*.
- Encephalomyelitis, postinfectious, magnetic resonance imaging of, 35
- Encephalopathy, hepatic, clinical staging of, 1063
 with human immunodeficiency virus infection, 7-12
- Endocrinopathies, neuroleptic malignant syndrome vs, 194
 secondary dementia with, 221
- Endometrial ablation, as ambulatory surgery, 370
- Endonasal rhinoplasty, 648
- Endoscopic devices, for nonvariceal upper gastrointestinal bleeding, 977
- Endoscopic retrograde cholangiopancreatography, in acute pancreatitis, 1028, 1042, 1047
- Endoscopic sclerotherapy, for gastroesophageal variceal hemorrhage, 1001-1004
- Endoscopic variceal banding therapy, for gastroesophageal variceal hemorrhage, 1004-1005
- Endoscopy, in diverticulitis, 1160
 under anesthesia, in dysphagia, 578
- Endotracheal intubation, for airway obstruction, 544-545
- Endurance training, protein requirements in, 760-761
- Energy needs, of athletes, 768-769
- Energy substrate, utilization by skeletal muscle, 757-762
- Enteral feeding(s), 863-880
 complications of, 471-473
 contraindications to, 469
 permanent access for, decision tree for, 874
- Enteral therapy, in head and neck cancer, 605-607
- Enteroclysis, for acute lower gastrointestinal bleeding, 1091
- Enterocutaneous fistula, total parenteral nutrition for, 866-867
- Enteroscopy, for acute lower gastrointestinal bleeding, 1091
- Enterotoxin production, in acute infectious diarrhea, 1177-1178
- Entrapment mononeuropathy, diabetic, 118
- Environmental conditions, and neuroleptic malignant syndrome, 186
- Environmental control, of tuberculosis, 1315-1334. See also *Tuberculosis, control of*.

- Enzyme digestants, for gastrointestinal tract foreign bodies, 1111
- Ephedrine, for appetite suppression, 904
- Epidural metastasis, of systemic cancer, neurologic complications of, 269-271
- Epilepsy, intractable, surgery for, 210-212 update on, 203-214
- Epstein-Barr virus, and viral encephalitis, 32
- Ergogenic aids, in athletic performance, 766-768
- Erythromycin, absorption of, influence of food on, 818
for bacterial endocarditis prophylaxis, 437
for infection prophylaxis, in colorectal surgery, 431
- Esophageal stage, of normal swallow, 573
- Esophagus, disorders of, feeding tubes with, 872
foreign bodies in, problems with removal, 1104
obstruction of, 946-947
stricture of, foreign body mass above, 1102
- Estrogen therapy, for osteoporosis prevention, 895
- Ethambutol, dosage and toxicity profile of, 1281-1282
for tuberculosis, development of, 1278
in children, dosage characteristics of, 1345
in elderly, 1363
in HIV-infected patient, 1380
use of, 1256
therapeutic range for, 1260
- Ethionamide, dosage and toxicity profile of, 1283
for tuberculosis, in HIV-infected patient, 1380
use of, 1257
therapeutic range for, 1260
- Euphoria, in multiple sclerosis, therapy for, 234
- Exercise, carbohydrate utilization during, 758
dietary fat utilization during, 761-762
for obesity, 902
in diabetes, 777
protein utilization during, 759-761
- Exercise electrocardiography, for vascular surgery, 383
- Exercise testing, for lung resection, 319-320
- External pneumatic compression, for deep vein thrombosis/pulmonary embolism, 401
- Extracorporeal shock wave lithotripsy, for cholelithiasis, 421-422
- Eyelid, hooding of, blepharoplasty for, 666
lower, edema of, blepharoplasty for, 667
- Face, aging, surgery of, 657-675
- Facelift, indications for, 659-660. See also *Facial rejuvenation surgery.*
- Facial aesthetics, in rhinoplasty, 647-648
- Facial plastic surgery, 657-675. See also *Facial rejuvenation surgery.*
- Facial rejuvenation surgery, 657-675
advances in, 670-674
anatomically designed alloplastic implants, 670
geniomandibular groove augmentation, 672-674
submalar augmentation, 670-672
factors in skin aging, 658
indications for, 659-660
of upper face, 666-670
adjunctive procedures in, 669-670
blepharoplasty, 668-669
preoperative assessment for, 660-661
- Fasting, effect on drug metabolism, 824-825
- Fat(s), dietary, and hypertension, 842
control of, in athletes, 769-770
role in cancer incidence, 725-728
utilization by skeletal muscle, 761-762
in diabetic diet, 775
- Fatigue, in multiple sclerosis, therapy for, 233-234
in voice disorders, 552-553
- Fatty acids, in parenteral therapy, for head and neck cancer, 606
- Fatty liver, acute, of pregnancy, 1117-1119
- Feeding, adequacy of, in postoperative patient, 471
- Femoropopliteal revascularization, cardiac risk stratification in, 390
- Fenfluramine, for appetite suppression, 903
- Fever, and intracranial hypertension, 62
and wasting, in AIDS, 799
extrapyramidal symptoms with, neuroleptic malignant syndrome vs, 193-194
- Fiber, dietary, in gastrointestinal disease, 882-883
role in cancer incidence, 728-729
in diabetic diet, 776-777
- Fibrinolytic infusion, selective, for acute lower gastrointestinal bleeding, 1091
- Fibromuscular dysplasia, and carotid artery dissection, 153
- Fibrosis, in chronic tuberculosis infection, 1239
- Fine-needle aspiration, biopsy with, materials for, 613
of neck masses, 611-623

- Fine-needle aspiration (*Continued*)
 technique of, 612-614
 of salivary gland neoplasms, 617-619
 of thyroid masses, 527, 530
 of thyroid nodules, 619-622
- Fistula, with diverticulitis, 1151-1153
- Fluid(s), administration of, for intracranial hypertension, 66
 in fulminant liver failure, 1073
 collection of, in acute pancreatitis, 1049
 in athletic performance, 766
 intake of, in nephrolithiasis, 784-785
 resuscitation with, in acute infectious diarrhea, 1182-1184
- Flumazenil, for ambulatory surgery, 372
- Fluoroquinolones, for tuberculosis, role of, 1258-1259
- Flush reactions, with drug-alcohol combinations, 826-827
- Folate, deficiency of, in AIDS, 802
 secondary dementia with, 222
 utilization in athletic performance, 763
- Folic acid, deficiency of, in acutely ill hospitalized patients, 911-913
- Follicular cancer, of thyroid, 521-522
 fine-needle aspiration of, 620
 survival in, 522
 treatment of, 532-533
- Food(s), adverse reactions to, 713-719
 metabolic-related, 716-717
 allergic reactions to, 714-715
 calcium content of, 894
 contaminants in, adverse reactions to, 717-719
 drug incompatibilities with, 826-827
 effect on drug absorption and metabolism, 815-829
 hypersensitivity reactions to, 714-715
 importance of, 712-713
 influence on drug absorption, 816-821
 influence on drug metabolism, 821-827
 intolerance to, 715-717
- Foreign bodies, and airway obstruction, 544
 frequently ingested, sizes of, 1105
 mass of, esophageal stricture and, 1102
 of gastrointestinal tract, **1101-1114**
 anatomic and physiologic considerations in, 1102-1103
 clinical features of, 1106-1107
 examples of, 1108
 lower, 1106
 medical management of, 1108-1111
 problems with removal, 1104
 upper, 1103-1106
 rectal, management of, 1110
- Foreign-born persons, multidrug-resistant tuberculosis in, 1336-1337, 1401
- Functional residual capacity, anesthesia and, 309
- Furosemide, absorption of, influence of food on, 818
- Gallbladder disease, acute, acute abdominal pain in, 966-968
- Gallstones. *See also Cholelithiasis.*
 cholesterol, pathogenesis of, 413-414
 risk factors for, 415-416
 natural history of, 416-417
 on oral cholecystography, 419
 pancreatitis with, acute, 1039
 Osborne criteria for, 1048
 pigment, pathogenesis of, 414-415
 recurrence of, 420
 symptomatic, management of, 424
- Ganciclovir, for cytomegalovirus encephalitis, 37
- Gas, extraluminal, with pneumoperitoneum, 945
- Gas exchange, evaluation of, for lung resection, 318-319
- Gas-forming pellets, for foreign bodies of gastrointestinal tract, 1111
- Gastric emptying time, effect on drug absorption, 817
- Gastroduodenal surgery, antimicrobial prophylaxis for, 431
- Gastroesophageal reflux laryngitis, diagnosis and treatment of, 555
- Gastroesophageal varices, acute hemorrhage of, acute pharmacotherapy for, 996-999
 balloon tamponade for, 999-1001
 endoscopic appearance of, 996
 endoscopic sclerotherapy for, 1001-1004
 endoscopic variceal banding therapy for, 1004-1005
 liver transplantation for, 1007-1008
 management of, approach to, 1008
 resuscitation and diagnosis in, 995-996
 surgical procedures for, 1006-1007
 therapeutic radiologic procedures for, 1005-1006
 treatment of, **993-1014**
 origin and natural history of, 994-995
- Gastrointestinal bleeding, in acute pancreatitis, 1049, 1051
 lower, **1085-1100**. *See also Lower gastrointestinal bleeding.*
 postoperative mortality and morbidity with, 340
 upper, nonvariceal, **973-992**. *See also Upper gastrointestinal bleeding.*
 with gastroesophageal varices, 994-995

- Gastrointestinal complications, in head injury, 54
- Gastrointestinal disorders, diet and, 881-887
- nutritional assessment in, 881-882
- with bulimia nervosa, 907
- with diabetic autonomic neuropathy, 116
- Gastrointestinal intolerance, with total parenteral nutrition, 473
- Gastrointestinal tract, foreign bodies of, 1101-1114. See also *Foreign bodies*.
- Gastrointestinal upset, with rifampin, 1280
- Gastrostomy tube, small bowel obstruction by, 1105
- Gender, and neuroleptic malignant syndrome, 186
- Genetics, of tuberculosis, 1219-1234. See also *Tuberculosis, genetics of*.
- Geniomandibular groove augmentation, in facial rejuvenation, 672-674
- Genitourinary surgery, antimicrobial prophylaxis for, 432-433
- Gentamicin, for bacterial endocarditis prophylaxis, 437-438
- for diverticulitis, 1160
- for infection prophylaxis, in neurosurgery, 433
- Ghon's complex, in tuberculosis infection, 1236
- Giant cell arteritis, and headache, 157-159
- Ginseng, in athletic performance, 767
- Glipizide, absorption of, influence of food on, 818
- Globus sensation, with dysphagia, 575
- Glottis, benign lesions of, and airway obstruction, 543-544
- Glucagon, for gastrointestinal tract foreign bodies, 1109
- Glucose, blood concentration of, in athletic performance, 759
- preoperative determination of, 296-297
- Gold, for rheumatoid arthritis, effects of, 456
- Gout, surgical patient with, management of, 458-459
- Granulomatous angitis, of central nervous system, and headache, 161
- Grey Turner's sign, in acute pancreatitis, 1026
- Griseofulvin, absorption of, influence of food on, 818
- Guillain-Barré syndrome, diabetic neuropathy vs, 113
- Gynecologic surgery, ambulatory, 370
- antimicrobial prophylaxis for, 433
- H₂ antagonists, for bleeding prevention, in fulminant liver failure, 1071
- Hair replacement, surgical, for male pattern alopecia, 689-703
- approaches to, 694
- assessing candidate for, 693-694
- principles of, 693
- skin grafts for, 694-702
- Hairline, frontal, transplant grafting to, 696-697
- Hallucinations, in Parkinson's disease, 178-179
- Halothane, and fulminant liver failure, 1060
- Hamilton classification, of male pattern alopecia, 692
- Harris-Benedict equation, for basal energy expenditure, 470
- Head, elevation of, and intracranial hypertension, 62
- Head and neck, cancer of, enteral and parenteral therapy in, 605-607
- immunology of, update on, 625-631
- metabolic monitoring in, 603-605
- nutritional management in, 597-610
- calculations for, 603-605
- clinical evaluation for, 599-602
- complications of, 607-608
- indications for, 602-603
- radiation treatment of, sensitizers for, 583-596
- lesions of, fine-needle aspiration of, 613
- microvascular reconstruction in, 677-687
- applications of, 679-686
- history of, 677-678
- technique of, 678-679
- tumors of, photodynamic therapy for, 589-591
- Head injury, cardiovascular effects of, 43-44
- coagulopathy after, 47-49
- deep vein thrombosis after, 46-47
- gastrointestinal complications of, 54
- hypothalamic dysfunction after, 50-51
- infections in, 54-56
- medical complications of, 43-60
- metabolic physiology after, 51-53
- nutritional assessment and support in, 52-53
- pituitary dysfunction after, 50-51
- pulmonary thrombosis after, 46-47
- respiratory system complications of, 44-46
- water and electrolyte balance after, 49-50
- Headache, 141-167
- arteriovenous malformation and, 151-152
- benign, 141-148
- central nervous system angitis/vasculitis and, 161
- Churg-Strauss angitis and, 160

- Headache (*Continued*)
 cluster, 145-147
 cranial artery dissection and, 152-154
 giant cell arteritis and, 157-159
 inflammatory vascular disease and, 156-162
 intraparenchymal hemorrhage and, 155
 ischemic/embolic stroke and, 155-156
 migraine, 142-145. See also *Migraine headache*.
 organic, 148-162
 polyarteritis nodosa and, 159-160
 subarachnoid aneurysm and, 149-151
 subarachnoid hemorrhage and, 149-152
 systemic lupus erythematosus and, 161-162
 tension, 147-148
- Health, poor, in voice disorders, diagnosis and treatment of, 563-564
- Healthcare facilities, and community tuberculosis control, 1310-1311
- Heart disease, coronary, impact of diet on, 849-862
 clinical trials of, 853-860
 diet intervention in, 859
 epidemiologic studies of, 849-853
 mortality, 853
- Heart rate abnormalities, with diabetic autonomic neuropathy, 116
- Heat stroke, neuroleptic malignant syndrome vs, 194, 480
- Heater probe, for nonvariceal upper gastrointestinal bleeding, 977
 clinical trials of, 982-983
- HELLP syndrome, with toxemia of pregnancy, 1121
- Hematemesia, in acute pancreatitis, 1051
- Hematochezia, in acute pancreatitis, 1051
- Hemobilia, and nonvariceal upper gastrointestinal bleeding, 987
- Hemochromatosis, metabolic-related, 717
- Hemodialysis, for renal failure, in fulminant liver failure, 1072
- Hemodynamic stress, with vascular surgery, 378
- Hemofiltration, for renal failure, in fulminant liver failure, 1072
- Hemoglobin, abnormalities of, 292-293
 minimal requirement for surgery, 335-347
 preoperative determination of, 292-293
- Hemolytic reactions, with transfusion, 338
- Hemorrhoids, and acute lower gastrointestinal bleeding, 1097
- Hemostasis, abnormalities of, in ischemic stroke, 77-94
 inherited, and ischemic stroke, 80-84
 after head injury, 47
 in acute stroke, evaluation of, 88-89
- HEPA filters, and risk of tuberculosis infection, 1324-1325
- Heparin prophylaxis, for deep vein thrombosis, 401
 in total hip replacement, 408
 for pulmonary embolism, 401
- Hepatic emergencies, in pregnancy, 1115-1127
- Hepatic encephalopathy, clinical staging of, 1063
 in fulminant liver failure, 1064
 management of, 1071
- Hepatic enzymes, preoperative determinations of, 297-298
- Hepatic failure, fulminant, 1057-1083. See also *Liver failure*.
- Hepatitis, and fulminant liver failure, 1058-1060
 as transfusion hazard, 337-338
 in pregnancy, 1121-1123
 viral, acute fatty liver of pregnancy vs, 1118
 with antituberculous drugs, in elderly, 1363
 with isoniazid, 1270, 1280
- Hepatotoxicity, with pyrazinamide, 1281
- Herbal remedies, toxicity of, 719
- Heredity, and neuroleptic malignant syndrome, 187
- Hernia, paraesophageal, radiographic appearance of, 943
- Herpes simplex virus, and fulminant liver failure, 1060
 and viral encephalitis, 29-31
 brain imaging of, 36
- Herpesviruses, and viral encephalitis, 29-32
- High-efficiency particle air filters, and risk of tuberculosis infection, 1324-1325
- Hilar adenopathy, in tuberculosis, in children, 1338-1339
- Hilar infiltrates, in tuberculosis, in elderly, 1360
- Hip fracture, pulmonary embolism/deep vein thrombosis prophylaxis in, 404-405
- Hip replacement, total, pulmonary embolism/deep vein thrombosis prophylaxis in, 403-404
- HIV enteropathy, in AIDS, 799
- HIV infection, immune response to *Mycobacterium tuberculosis* in, 1371-1373
 nutrition and malnutrition in, 799-802
 tuberculin skin test in, 1373
 tuberculosis in, 1369-1390
 chemoprophylaxis for, 1374
 delayed diagnosis of, 1379
 disease sites in, 1376

- drug-resistant, program to reduce, 1386-1387
 drug side effects and interactions in, 1381-1382
 epidemiology of, 1369-1371
 extrapulmonary, 1377-1379
 general clinical features of, 1375-1380
 identification of, 1267
M. avium complex disease vs, 1379-1380
 multidrug-resistant, 1372-1373, 1399-1400
 prevention of, 1373-1375
 public health and legal aspects of, 1383-1386
 pulmonary, 1376-1377
 risk of, 1265, 1337, 1372
 surveillance program for, 1370-1371
 treatment of, 1380-1383
 compliance with, 1382-1383
 results of, 1382
 supervised, 1383
 worldwide distribution of, 1370
 Hoarseness, in voice disorders, 552
 Homeless persons, multidrug-resistant tuberculosis in, 1401-1402
 Homosexuals, acute infectious diarrhea in, 1172-1173
 Honolulu Heart Study, 851
 Hospitalized patients, acutely ill, anemia and nutritional deficiency in, 911-918
 Host immunity, defects in, and tuberculosis infection, 1246-1247
 Human immunodeficiency virus, as transfusion hazard, 336-337
 infection with, neurologic complications of, 1-23
 secondary dementia with, 219
 Humoral immunity, development of, in tuberculosis infection, 1243-1244
 in head and neck cancer, 629-630
 Hürthle cell carcinoma, of thyroid, 522
 treatment of, 532
 Hydralazine, absorption of, influence of food on, 818
 Hydrocephalus, normal pressure, secondary dementia with, 217-218
 Hydrochlorothiazide, absorption of, influence of food on, 818
 Hydrocortisone, for toxic megacolon, 1142
 Hydroxychloroquin, for rheumatoid arthritis, effects of, 456
 Hyperalimentation, in AIDS, 804-805
 Hypercalcemia, and acute pancreatitis, 1040
 Hypercalciuria, and kidney stones, 786-787
 Hyperemesis gravidarum, and liver abnormalities, 1117
 Hyperfractionated radiation, in photodynamic therapy, for head and neck cancer, 592
 Hyperglycemia, with total parenteral nutrition, 472, 875
 Hyperhomocystinemia, inherited, and ischemic stroke, 83-84
 Hyperinsulinemia, and hypertension, 837
 Hyperlipidemia, effect in nephrotic syndrome, 791
 Hypermetabolism, in AIDS, 798
 Hyperosmolar agents, for intracranial hypertension, 67
 Hyperoxaluria, and kidney stones, 788
 Hyperparathyroidism, neurologic complications of, 258-259
 Hypersensitivity reactions, to food, 714-715
 Hypertension. *See also Blood pressure.*
 after head injury, 43
 alcohol and, 843
 and vertebral artery dissection, 154
 dietary calcium and, 841-842
 dietary fat and, 842
 dietary magnesium and, 842
 dietary potassium and, 839-840
 genesis and treatment of, diet in, 831-847
 in diabetes, risk of, 97
 in malignant hyperthermia, 484
 intracranial, 61-76. *See also Intracranial hypertension.*
 obesity and, 836-839
 epidemiology of, 836
 hemodynamic alterations in, 837
 sodium restriction for, weight-loss with, 838-839
 weight-loss intervention for, 838-839
 preoperative, and type of surgical procedure, 356
 as risk factor for surgery, 350-354
 mild/moderate diastolic, 352-353
 poorly controlled, 351
 secondary, 354
 systolic, 353-354
 hemodynamic changes in, 349-350
 perioperative complications with, intraoperative events causing, 354-356
 morbidity and mortality with, 354-356
 sodium in, 832-836
 epidemiology of, 832-833
 restriction of, potassium supplementation with, 840
 salt-sensitivity in, 834-836
 trials of restriction or loading, 833-834
 systemic, and intracranial hypertension, 63-64

- Hypertension Prevention Trial, sodium in, 834
- Hyperthermia, in neuroleptic malignant syndrome, 189
- malignant, 482-488
- associated disorders with, 486-487
- clinical manifestations of, 483-484
- laboratory evaluation of, 485-486
- management of, 487-488
- neuroleptic malignant syndrome vs, 480-481
- pathogenesis of, 482-483
- susceptibility to, 486
- with neuroleptic malignant syndrome, 479
- Hyperthyroidism, neurologic complications of, 251-255
- Hyperthyroxinemia, transient, in acute psychiatric illness, 255
- Hypertriglyceridemia, and acute pancreatitis, 1039-1040
- and gallstone formation, 416
- in diabetes, risk of, 97
- Hyperuricosuria, and kidney stones, 787-788
- Hyperventilation, after head injury, 45-46
- for intracranial hypertension, 65
- for viral encephalitis, 37
- Hypervitaminosis D, food-induced, 716
- Hypoglycemia, and hemiparesis, in diabetes, 101
- Hypoglycemic reactions, with alcohol, 826
- Hypoparathyroidism, neurologic complications of, 259
- Hypotension, orthostatic, with antidepressants, 444
- with neuroleptic agents, 447
- Hypothalamic dysfunction, after head injury, 50-51
- Hypothyroidism, in voice disorders, diagnosis and treatment of, 562
- neurologic complications of, 255-258
- Hypotonic solutions, for parenteral therapy, in head and neck cancer, 606
- Hypoxemia, after head injury, 45
- Iatrogenic conditions, dysphagia in, 574-575
- Ibuprofen, absorption of, influence of food on, 818
- IgA and IgE antibodies, in head and neck cancer, 629
- IgM monoclonal proteins, and peripheral nerve demyelination, 128
- Ileus, abdominal pain with, 946-949
- with acute diverticulitis, 954
- Illness, with diabetes, 778
- Imipenem, for diverticulitis, 1160-1161
- prophylactic, in necrotizing pancreatitis, 1050
- Immigrants, tuberculosis risk in, 1336-1337, 1401
- Immunology, of head and neck cancer, update on, 625-631
- of tuberculosis, 1235-1251. See also *Tuberculosis, immunology of*.
- Immunosuppression, for multiple sclerosis, 239-244
- in head and neck cancer, 626-628
- Indomethacin, for gout, in surgical patient, 459
- Industrial poisons, consumption of, 719
- Infants, in day care centers, acute infectious diarrhea in, 1170-1171
- Infection(s), and acute pancreatitis, 1041
- control of, in tuberculosis in AIDS patients, 1385
- in head injury, 54-56
- with surgery, preoperative considerations in, 428-430
- with total parenteral nutrition, 473-474
- Infectious complications, in fulminant liver failure, 1065
- Infectious diarrhea, acute, 1169-1196. See also *Diarrhea*.
- Infectious disease(s), dysphagia in, 574
- secondary dementia with, 218-220
- toxic megacolon vs, 1132
- Inflammatory bowel disease, acute presentation in, 956
- and acute lower gastrointestinal bleeding, 1097
- and toxic megacolon, 1131
- malabsorption from, diet in, 885
- total parenteral nutrition for, 868-869
- Inflammatory vascular disease, and headache, 156-162
- Injection therapy, for nonvariceal upper gastrointestinal bleeding, 978-979
- clinical trials of, 983-984
- Insulin, for diabetes, historical overview of, 773-774
- in parenteral therapy, for head and neck cancer, 607
- Insulin-glucagon therapy, for fulminant liver failure, 1074
- Interferons, for multiple sclerosis, 243
- Intestinal abnormalities, in AIDS, 798-799
- Intestinal gas, in toxic megacolon, 1137-1138
- Intestinal obstruction, abdominal pain with, 946-949
- acute, 970-971
- in diverticulitis, 1153
- Intestine, foreign bodies in, problems with removal, 1104

- ischemia and infarction of, abdominal pain with, 956-959
- Intra-abdominal disease, in tuberculosis, in HIV-infected patient, 1378
- Intracranial carotid system, dissection of, and headache, 154
- Intracranial hemorrhage, with systemic cancer, 275
- Intracranial hypertension, conventional therapies for, 65-70
 - factors aggravating, 61-65
 - management of, 61-76
 - surgical intervention for, 70-71
- Intracranial metastasis, of systemic cancer, neurologic complications of, 265-268
- Intracranial pressure, in fulminant liver failure, increased, 1064
 - monitoring of, 1070-1071
 - monitoring of, and infection, in head injury, 55
- Intraparenchymal hemorrhage, and headache, 155
- Intravenous fluids, and intracranial hypertension, 65
- Invasion, bacterial, in acute infectious diarrhea, 1176-1177
- Iododeoxyuridine, for photodynamic therapy, in head and neck cancer, 591-593
- Iodoquinol, for acute infectious diarrhea, 1186
- Ionizing radiation treatment, of head and neck cancer, sensitizers for, 583-596
- Ireland-Boston Diet-Heart Study, 852
- Iron, deficiency of, in acutely ill hospitalized patients, 915-916
 - in AIDS, 801
 - utilization in athletic performance, 764-765
- Irritable bowel syndrome, dietary fiber in, 882
- Ischemia, electrocardiographic monitoring of, for vascular surgery, 388-389
- Ischemic bowel disease, acute abdominal pain in, 968-969
- Isoamylase, determination of, in acute pancreatitis, 1044-1045
- Isolation, for tuberculosis control, 1330-1331
 - in AIDS patients, 1384
- Isoniazid, absorption of, influence of food on, 818
 - and fulminant liver failure, 1060
 - dosage and toxicity profile of, 1270, 1279-1280
 - for tuberculosis, development of, 1277
 - in children, dosage characteristics of, 1345
 - in elderly, 1362
 - preventive therapy, 1269-1270, 1364
 - in HIV-infected patient, 1380
 - use of, 1255-1256
 - interaction with phenytoin, 1270-1271, 1280
 - therapeutic range for, 1260
- Isoproterenol, for gastroesophageal variceal hemorrhage, 998
- Japanese encephalitis, virus causing, 29
- Jaundice, with acute fatty liver of pregnancy, 1118
- Kanamycin, dosage and toxicity profile of, 1283
 - for tuberculosis, in children, dosage characteristics of, 1345
 - in HIV-infected patient, 1380
- Ketoacidosis, and cerebral edema, in diabetes, 101
- Ketoconazole, absorption of, influence of food on, 818
 - in HIV-infected patients, antituberculous drug reaction to, 1381
- Kidney. *See under Renal.*
- King-Denborough syndrome, with malignant hyperthermia, 486
- Knee replacement, total, pulmonary embolism/deep vein thrombosis prophylaxis in, 405-407
- Kwashiorkor, in elderly, 751
- Labetolol, absorption of, influence of food on, 819
- Laboratory testing, preoperative, 289-308
 - abnormal results in, probability of, 291
 - complete blood count, 292-295
 - medico-legal issues in, 304-305
 - normal vs abnormal results in, 290-291
 - patient need for, 303
 - previous test results and, 303-304
 - reasons for, 291-292
 - recommendations for, 305
- Lactose intolerance, diet in, 884-885
 - metabolic-related, 716
- Laminectomy, for epidural metastatic spinal cord compression, 271
- Laparoscopic cholecystectomy, as ambulatory surgery, 368-371
 - for cholelithiasis, 422-423
- Laryngeal framework, surgery of, 637-640
 - operative technique in, 639-640

- Laryngeal framework (*Continued*)
 preoperative evaluation of, 638-639
- Laryngectomy, for airway obstruction, 543
- Laryngitis, gastroesophageal reflux,
 diagnosis and treatment of, 555
 in voice disorders, diagnosis and treatment of, 560-562
- Laryngopathia gravidarum, in voice disorders, diagnosis and treatment of, 562-563
- Laryngopathia premenstrualis, in voice disorders, diagnosis and treatment of, 562-563
- Larynx, carcinoma of, photodynamic therapy for, 590-591
 disorders of, clinical assessment of, 636
 examination of, flexible nasopharyngoscope for, 637
 in voice disorders, 554
 innervation of, 635
 lesions of, and airway obstruction, 545
 manual compression tests of, before phonosurgery, 638
 mucosal disorders of, microsurgery for, 636-637
- Laser(s), characteristics of, in photodynamic therapy, of head and neck cancer, 587
 therapy with, for nonvariceal upper gastrointestinal bleeding, 978-980
 clinical trials of, 983
- Latissimus dorsi muscle flap, for large soft tissue defects of head and neck, 680-681
- Lead poisoning, in food, 719
- Left ventricular ejection fraction, estimate of, for vascular surgery, 382-383
- Leiden Intervention Trial, for coronary heart disease prevention, 858
- Leiomyosarcoma, mandibular, scapular osteocutaneous graft for, 685-686
- Leptomeningeal metastasis, of systemic cancer, neurologic complications of, 268-269
- Leukocytosis, with toxic megacolon, 1139
- Leukoencephalopathy, multifocal, progressive, with human immunodeficiency virus infection, 10-12
- Levodopa, absorption of, influence of food on, 819
 for neuroleptic malignant syndrome, 196
 for Parkinson's disease, 173-174
- Life expectancy, and perioperative transfusion, 342
- Lifestyle Heart Trial, for coronary heart disease prevention, 858
- Ligase chain reaction, in molecular genetics of tuberculosis, 1228
- Light, characteristics of, in photodynamic therapy, of head and neck cancer, 587
- Limbic encephalitis, secondary dementia with, 223
- Lincomycin, absorption of, influence of food on, 819
- Lipase, elevations of, conditions with, 1043
 in acute pancreatitis, 1045-1046
- Lipid(s), and aging, 750
 effect on drug metabolism, 822-823
 in parenteral therapy, for head and neck cancer, 606
- Lipid Research Clinics Coronary Primary Prevention Trial, for coronary heart disease, 857-858
- Liposuction, as ambulatory surgery, 370
- Liquids, ingestion of, before ambulatory surgery, 372
- Lithium, absorption of, influence of food on, 819
 in perioperative period, 444-445
- Lithotripsy, extracorporeal shock wave, for cholelithiasis, 421-422
- Liver, drug clearance by, 821
 failure of, total parenteral nutrition for, 867-868
 rupture of, with toxemia of pregnancy, 1119-1120
- Liver disease, chronic, effect of pregnancy on, 1124
 in pregnancy, time of occurrence of, 1116
- Liver failure, fulminant, 1057-1083
 complications of, 1062-1067
 cardiovascular, 1066
 coagulopathy, 1065
 infectious, 1065
 management of, 1069-1073
 metabolic, 1066-1067
 neurologic, 1062-1064
 pulmonary, 1066
 renal, 1065-1066
 diagnosis of, 1062
 etiology of, 1057-1061
 hepatitis and, 1058-1060
 herpes simplex virus and, 1060
 histopathology of, 1062
 liver transplantation in, criteria for, 1068
 management of, 1069-1076
 algorithm for, 1070
 pathophysiology of, 1061
 prognosis in, 1067-1069
 varicella zoster virus and, 1060
 total parenteral nutrition for, 867-868
- Liver support, artificial, for fulminant liver failure, 1074-1075
- Liver transplantation, for fulminant liver failure, 1075-1076
 criteria for, 1068

- for gastroesophageal variceal hemorrhage, 1007-1008
 - referral for, information needed for, 1063
- Loop diuretics, for intracranial hypertension, 67
- Loperamide, for acute infectious diarrhea, 1184, 1186-1187
- Lower gastrointestinal bleeding, acute, 1085-1100
 - causes of, 1086, 1095-1097
 - diagnosis of, 1086-1088
 - approach to, 1092-1094
 - hints for, 1087
 - history/physical examination, 1086-1088
 - initial evaluation, 1086
 - modalities of, 1088-1091
 - resuscitation process for, 1093
 - therapy for, 1094-1095
- Luciferase reporter assay, in molecular genetics of tuberculosis, 1228-1230
- Lumbar microdissection, as ambulatory surgery, 370
- Lumbosacral plexus metastasis, of systemic cancer, neurologic complications of, 271-272
- Lung, cancer of, role of micronutrients in, 730
 - tuberculosis vs, in elderly, 1360
 - mechanics of, evaluation of, for lung resection, 318
 - resection of, clinical risk assessment in, 319-320
 - preoperative pulmonary testing in, 317-322
- Lupus erythematosus, systemic, and headache, 161-162
 - surgical patient with, management of, 459
- Lyme neuroborreliosis, secondary dementia with, 220
- Lymph nodes, of neck, fine-needle aspiration of, complications of, 617
- Lymphadenitis, in extrapulmonary tuberculosis, in HIV-infected patient, 1377-1378
- Lymphocytophoresis, for multiple sclerosis, 243
- Lymphoma(s), central nervous system, with human immunodeficiency virus infection, 12
 - of neck, fine-needle aspiration diagnosis of, 616
 - of thyroid, 524
 - toxic megacolon vs, 1132
- Lymphomatous meningitis, with human immunodeficiency virus infection, 6-7
- Macronutrients, effect on drug metabolism, 822-823
- role in cancer incidence, 725-729
- Macrophage(s), in tuberculosis infection, activated, 1236
 - cellular immunity development in, 1242-1243
- Magnesium, dietary, and hypertension, 842
 - utilization in athletic performance, 765
- MAIS complex, genetics of, 1220-1221
- Major histocompatibility complex, and resistance to tuberculosis, 1213
- Malabsorption, dietary therapy in, 883-886
 - in AIDS, 798-799
 - pathophysiology of, 884
- Mallory-Weiss tear, and nonvariceal upper gastrointestinal bleeding, 986
- Malnutrition, and head and neck cancer, 626
 - classification of, 602
 - effect on drug metabolism, 821, 825
 - in AIDS, 795-814
 - in cancer, 732
 - in elderly, 751-752
 - in head and neck cancer, etiology of, 599
 - incidence of, 602
 - risk factors for, 467
- Mandible, defect of, microvascular reconstruction for, 682-686
 - leiomyosarcoma of, scapular osteocutaneous graft for, 685-686
- Mania, dementia vs, 225-226
- Mannitol, for fulminant liver failure, 1071
 - for intracranial hypertension, 66
- Manometry, in dysphagia, 578-579
- Mantoux test, for tuberculosis, in children, 1340-1341
 - reaction size criteria in, 1342
- Marasmus, in elderly, 751
- Marijuana use, and voice disorders, 565
- Mass lesions, secondary dementia with, 218
- Mebendazole, absorption of, influence of food on, 819
- Mechanical prophylaxis, for deep vein thrombosis, in orthopedics, 408
 - in total hip replacement, 404
 - in total knee replacement, 406
- Meckel's radionuclide scanning, for acute lower gastrointestinal bleeding, 1091
- Medical complications, of head injury, 43-60
- Medical consultation, in multiple trauma, 493-507
- Medication use, and perioperative transfusion, 343
- Medullary carcinoma, of thyroid, 523-524
 - treatment of, 532-533
- Megacolon, toxic, 1129-1148. See also *Toxic megacolon*.
- Megadose supplements, in AIDS, 805
- Melena, in acute pancreatitis, 1051

- Meningitis, chronic, secondary dementia with, 218-219
 tuberculous, in elderly, 1360
 with human immunodeficiency virus infection, 3-7
- Menstrual cycle, effect on voice, 563
- Mental impairment, in tuberculosis patient, risk of noncompliance in, 1291-1292
- Mental status, changes in, with hypothyroidism, 257
 with neuroleptic malignant syndrome, 189, 479
- Mercury poisoning, in food, 719
- Metabolic acidosis, with bulimia nervosa, 907
- Metabolic complications, in fulminant liver failure, 1066-1067
- Metabolic disorders, and fulminant liver failure, 1060
 dysphagia in, 574
- Metabolic encephalopathy, with systemic cancer, 272-273
- Metabolism, in injury, 51-53
 normal, 51
- Metastasis, of systemic cancer, neurologic complications of, 265-272
- Methacycline, absorption of, influence of food on, 819
- Methotrexate, for rheumatoid arthritis, effects of, 456-457
 neurologic complications of, 276
- Methylodopa, absorption of, influence of food on, 819
- Methylprednisolone, for multiple sclerosis, 240
 for toxic megacolon, 1142
- Methyltertbutyl ether, for cholelithiasis, 420-421
- Methylxanthines, effect on drug metabolism, 824
- Metoprolol, absorption of, influence of food on, 819
- Metronidazole, for acute infectious diarrhea, 1186
 for diverticulitis, 1160-1161
 for infection prophylaxis, in digestive tract surgery, 431
- Micronutrients, deficiencies of, detection of, in head and neck cancer, 600
 in AIDS, 800-802
 effect on drug metabolism, 823
 role in cancer incidence, 730-731
- Microvascular reconstruction, in head and neck, 677-687. See also *Head and neck*.
- Migraine headache, 142-145
 background of, 142
 definition of, 142-145
- Military operations, acute infectious diarrhea in, 1174
- Milk, effect on drug absorption, 820
- Minerals. See also names of specific minerals.
 effect on drug metabolism, 823
 utilization in athletic performance, 762-765
- Monoamine oxidase inhibitors, in perioperative period, 446-447
- Monoclonal antibodies, for multiple sclerosis, 243
- Monoclonal gammopathy of undetermined significance, and peripheral neuropathy, 127-129
- Monoclonal proteins, peripheral neuropathies associated with, 125-139
- Monooctanoin, for cholelithiasis, 420
- Morbidity, perioperative, selective testing and, 303
- Mortality, studies of, age as risk factor in, 327-328
 surgical, variables affecting, 328-332
- Motor neuropathy, proximal lower extremity, in diabetes, 116-117
- Mouth, examination of, in voice disorders, 553
- Movement disorders, with hyperthyroidism, 253
 with hypothyroidism, 256
- Mucolytic agents, for vocal dysfunction, 567
- Mucosal disruption, in voice disorders, diagnosis and treatment of, 560
- Multiple myeloma, and peripheral polyneuropathy, 131
- Multiple Risk Factor Intervention Trial, for coronary heart disease, 855-856
- Multiple sclerosis, adrenocorticotrophic hormone for, 240
 azathioprine for, 241
 copolymer 1 for, 243-244
 cyclophosphamide for, 242
 cyclosporine for, 241
 immunosuppressive therapy for, 239-244
 interferons for, 243
 lymphocytophoresis for, 243
 methylprednisolone for, 240
 monoclonal antibodies for, 243
 plasma exchange for, 243
 prednisone for, 240
 rehabilitation for, 239
 therapy for, symptomatic, 232-239
 update on, 231-249
- Mumps, and viral encephalitis, 33
- Muscle(s), disorders of, with hyperparathyroidism, 258
 with hypoparathyroidism, 259
 rigidity of, in malignant hyperthermia, 485

- in neuroleptic malignant syndrome, 189, 479
- skeletal, energy substrate utilization by, 757-762
- Muscle mass, lean, calculation of, in head and neck cancer, 601
- Musculoskeletal abnormalities, with malignant hyperthermia, 486
- Mushroom poisoning, and fulminant liver failure, 1061
- Myasthenia gravis, with hyperthyroidism, 254
- Mycobacteria, antigenicity of, 1245-1246
- infection with, pathogenesis of, 1235-1239
- Mycobacteriology, for tuberculosis in children, 1341-1343
- Mycobacterium avium* complex disease, tuberculosis vs, in HIV infection, 1379-1380
- Mycobacterium avium-intracellulare-scrofulaceum* complex, genetics of, 1220-1221
- Mycobacterium leprae*, genetics of, 1220-1221
- Mycobacterium tuberculosis*, drug-resistant strains of, 1348
- immune response to, in HIV-infected patients, 1371-1373
- immunity to, development of, 1239-1244
- cellular, 1240-1243
- early host response, 1239-1240
- humoral, 1243-1244
- phenotypic characteristics of, 1207
- resistance to, definition of, 1393-1394
- stool isolation of, in HIV-infected patient, 1379
- Myelodysplastic disorders, combination therapies for, 926-927
- FAB classification of, and leukemia risk, 919
- prognosis in, 920
- vitamin treatment of, 919-929
- vitamin A derivatives, 921-926
- vitamin D, 926
- Myelopathy, with human immunodeficiency virus infection, 13-14
- Myeloproliferative disorders, and ischemic stroke, 87-88
- Myocardial contusion, assessment and management of, 495-496
- clinical manifestations of, 494-495
- diagnosis of, algorithm for, 496
- medical consultation in, 493-496
- pathophysiology of, 494
- Myocardial imaging, vasodilator, for vascular surgery, 384-388
- Myocardial infarction, postoperative, with intraoperative hypertension, 355
- Myocardial injury, after head injury, 44
- Myocardial involvement, in scleroderma surgical patient, management of, 460
- Myopathy, with human immunodeficiency virus infection, 15
- with hyperthyroidism, 251-252
- with hypothyroidism, 255-256
- Myotomy, cricopharyngeal, for dysphagia, 579-580
- Nafcillin, absorption of, influence of food on, 819
- Narcotics, and voice disorders, 565
- Nasal airway, repair of, current trends in, 643-656
- Nasal bridle, for feeding tube, placement of, 874
- Nasal dorsum, rhinoplasty of, 651, 653-654
- Nasal obstruction, areas of, 646
- rhinoplasty for, 645-647
- Nasal tip, rhinoplasty of, 650-651, 654
- Nasobiliary catheter, for acute cholangitis, 1023
- Nasoduodenal tube, fluoroscopic placement of, 873
- Nasogastric lavage, for acute lower gastrointestinal bleeding, 1093
- Nasopharyngoscope, flexible, for laryngeal examination, 637
- Nasopharynx, carcinoma of, photodynamic therapy for, 590-591
- examination of, with dysphagia, 576
- National Diet-Heart Study, for coronary heart disease prevention, 855
- Native Americans, tuberculosis among, 1208-1209
- Natural selection, and spread of tuberculosis, 1206
- Nd:YAG laser therapy, for nonvariceal upper gastrointestinal bleeding, 978-980
- clinical trials of, 983
- Neck, adjuvant treatment of, in thyroid cancer, 534-535
- cancer of, feeding tubes with, 872
- examination of, in dysphagia, 576
- in voice disorders, 553-554
- lymphoma of, fine-needle aspiration diagnosis of, 616
- masses of, fine-needle aspiration evaluation of, 611-623
- metastatic cancer of, fine-needle aspiration diagnosis of, 615-616
- surgical management of, in thyroid cancer, 533-534
- Neomycin, for infection prophylaxis, in biliary tract surgery, 431-432
- in colorectal surgery, 431

- Neoplasia, dysphagia in, 574
- Nephrolithiasis, diet in, 783-788
 cause vs therapy, 784
 nutritional management of, 784-788
 specific recommendations in, 786
- Nephrotic syndrome, nutritional management of, 790-791
- Nerve(s), abnormalities of, with hypoparathyroidism, 259
 metastases to, in cancer, neurologic complications of, 271-272
- Neural transplantation, in Parkinson's disease, 180
- Neurobehavioral disorders, in multiple sclerosis, therapy for, 234-235
- Neuroleptic agents, physiologic effects of, 447
- Neuroleptic malignant syndrome, **185-212, 477-482**
 clinical manifestations of, 189-192, 478-479
 diagnostic criteria for, 190-191
 differential diagnosis of, 192-195, 480-481
 epidemiology of, 185-188
 incidence of, 185-186
 laboratory assessment of, 190, 479-480
 management of, 481-482
 outcome of, 191-192
 pathogenesis of, 198-200, 477-478
 preoperative evaluation for, 449-450
 prodromal signs of, 189
 recurrence of, 198
 risk factors for, 186-188
 treatment of, 195-198
 pharmacotherapy, 195-198
 prevention/supportive care, 195
- Neurologic complications, of fulminant liver failure, 1062-1064
 of parathyroid disease, **251-263**
 of systemic cancer, **265-278**
 of thyroid disease, **251-263**
- Neurologic deficits, feeding tubes with, 872
- Neurologic disturbances, focal, with human immunodeficiency virus infection, 9
- Neurologic symptoms, with migraine headache, 143-144
- Neuromuscular disorders, dysphagia in, 574
 with malignant hyperthermia, 486-487
- Neuromuscular paralysis, and intracranial hypertension, 63
- Neuropathy(ies), peripheral, with human immunodeficiency virus infection, 14-15
 with diabetes, **111-124**. See also under *Diabetes*.
- Neuropsychiatric diagnosis, and neuroleptic malignant syndrome, 186-187
- Neurosurgery, antimicrobial prophylaxis for, 433
- Neurosyphilis, secondary dementia with, 219-220
- Newborns, hepatitis prophylaxis for, 1123
- Niacin, utilization in athletic performance, 763
- Nitrofurantoin, absorption of, influence of food on, 819
- Nitrogen balance, in athletic performance, 760
- Nitroglycerin, for gastroesophageal variceal hemorrhage, 998
- Nitroprusside, for gastroesophageal variceal hemorrhage, 998
- Norfloxacin, for acute infectious diarrhea, 1186-1187
- Normal swallow, 572-573
- Nose, aging, surgery for, 664-666
 dorsum of, rhinoplasty of, 651, 653-654
 examination of, in voice disorders, 553
 septoplasty of, 649
 tip of, rhinoplasty of, 650-651, 654
- Nucleic acid detection, for tuberculosis diagnosis in children, 1343
- Nursing case management, of tuberculosis, 1307
- Nursing home(s), residents of, positive tuberculin test in, 1356, 1358
 tuberculosis in, age-specific case rates for, 1359
 surveillance for, 1365-1366
 transmission of, 1357-1359
- Nutrients, as cancer therapy, 731
- Nutrition, aging changes relevant to, 745-746
 assessment of, 466-467, 469-470
 in athletes, 768
 in elderly, 750-751
 in gastrointestinal disease, 881-882
 deficiencies in, in acutely ill hospitalized patients, **911-918**
 secondary dementia with, 221-223
 enteral, methods of access for, 870-873
 parenteral vs, 870
 in head and neck cancer, **597-610**
 clinical evaluation of, 599-602
 complications of, 607-608
 in head injury, assessment and support of, 52-53
 parenteral, in cancer patients, 731-736
 methods of access for, 870-873
 total, 865-870. See also *Total parenteral nutrition*.
 recommendations concerning, 719-720
 role of, **711-724**
 status of, and complication rates, 865

- indicators of, limitations of, 466
- monitoring of, 471-474
- support of, in postoperative period, 468-469
 - indications for, 467-468
 - perioperative, advances in, 465-475
 - therapy with, for osteoporosis, 889-898
- Nutrition Adjuvant Study, of breast cancer, 737
- Nutrition care plan, dietary protocol for, in athletes, 768-769
- Obesity, 899-904
 - and gallstone formation, 416
 - and hypertension, 836-839
 - and postoperative pulmonary complications, 313
 - behavioral therapy for, 902
 - caloric restriction for, 901-902
 - etiology of, 899-900
 - exercise for, 902
 - management issues in, 900-901
 - pharmacologic therapy for, 902-904
 - surgical treatment of, 904
- Obstetric surgery, antimicrobial prophylaxis for, 433
- Octreotide, for gastroesophageal variceal hemorrhage, 998
- Ocular lesions, with hyperthyroidism, 253-254
- Ocular toxicity, with ethambutol, 1282
- Oculomotor nerve palsies, in diabetes, 100-101
- Ofloxacin, for tuberculosis, 1284
 - role of, 1258
 - prophylactic, in necrotizing pancreatitis, 1050
 - therapeutic range for, 1260
- Omega-3 fatty acids, supplementation with, in AIDS, 806
- Oncologic therapies, and head and neck cancer, 627-628
- Ophthalmologic surgery, antimicrobial prophylaxis for, 434
- Opiates, for acute infectious diarrhea, 1184
- Opportunistic infections, in AIDS, dietary interventions in, 803-804
- Oral cavity, examination of, in voice disorders, 553
- Oral contraceptives, antiepileptic drugs and, 209-210
- Oral intubation, for airway obstruction, 542-543
- Oral stage, of normal swallow, 572
- Organ system failure, in pancreatitis, criteria for, 1049
- Ornithine carbamoyl transferase deficiency, metabolic-related, 717
- Oromandibular defect, microvascular reconstruction for, 682-686
- Oropharynx, carcinoma of, photodynamic therapy for, 590-591
- Orthopedic complications, with diverticulitis, 1155-1156
- Orthopedic surgery, antimicrobial prophylaxis for, 434
- Osborne criteria, for pancreatitis with gallstones, 1048
- Oslo study, of coronary heart disease, diet and smoking intervention in, 855
- Osmotic diuretics, for intracranial hypertension, 66
- Osteoporosis, alcohol and, 895-896
 - caffeine and, 895-896
 - dietary calcium for, 891-892
 - epidemiology of, 889-890
 - management of, recommendations for, 895
 - non-nutritive therapies for, 895
 - nutritive therapies for, 889-898
 - pathogenesis of, 890-891
 - phosphorus and, 895
 - supplemental calcium for, 892-893
- Osteosclerotic myeloma, and peripheral neuropathy, 131-133
- Otolaryngologic surgery, antimicrobial prophylaxis for, 434-435
- Ototoxicity, with streptomycin, 1282
- Outreach workers, in tuberculosis treatment, 1308
- Overcrowding, and spread of tuberculosis, 1206
- Oxymetazoline hydrochloride, for vocal dysfunction, 568-569
- Pacific Islands, tuberculosis in, 1210-1212
- Pacing electrocardiography, for vascular surgery, 383-384
- Pain, and intracranial hypertension, 62
 - in multiple sclerosis, therapy for, 237
 - in voice disorders, 553
- Palate, carcinoma of, photodynamic therapy for, 590-591
- Pancreatic ductal hypertension, and acute pancreatitis, 1026
- Pancreatic enzyme activation, and acute pancreatitis, 1038
- Pancreatic infection, frequency of bacteria in, 1050
- Pancreatic necrosis, in acute pancreatitis, 1050
- Pancreatitis, acute, 1023-1030, **1037-1056**
 - acute abdominal pain in, 967-968

Pancreatitis (*Continued*)

- anatomic causes of, 1041
- calculous, approach to patient with, 1029
- causes and incidence of, 1024-1025
- clinical presentation of, 1026-1027
- complications of, detection of, 1049-1052
- diagnosis of, 1026-1027, 1038-1039
- drugs and, 1042
- endoscopic therapy for, 1028-1029
- etiology of, 1039-1043
- imaging studies for, 1046-1047
- laboratory evaluation of, 1043-1046
- pathogenesis of, 1025-1026
- postoperative, 1040
- prognosis in, 1029-1030
 - assessment of, 1047-1049
- surgery for, 1027-1028
- therapy for, 1027, 1052-1053
- total parenteral nutrition for, 869
- alcoholic, Ranson's criteria for, 1047
- dietary therapy in, 883
- necrotizing, prophylactic antibiotics for, 1050
- nonalcoholic, Ranson's criteria for, 1048
- Papillary adenocarcinoma, of thyroid, 518-521
 - metastasis in, 520-521
 - prognostic considerations in, 520
 - survival in, 519
- Para-amino salicylic acid (PAS), discontinuation of, 1348
- dosage and toxicity profile of, 1282-1283
- for tuberculosis, development of, 1277
- in children, dosage characteristics of, 1345
- in HIV-infected patient, 1380
- use of, 1256
- therapeutic range for, 1260
- Paraesophageal hernia, radiographic appearance of, 943-944
- Paralysis, periodic, with hyperthyroidism, 254-255
- Paraneoplastic syndromes, with systemic cancer, 276-277
- Parasite(s), intestinal, in AIDS, 798
 - screening for, for acute infectious diarrhea, 1181
- Parathyroid disease, neurologic complications of, 251-263
- Parathyroid hormone, and bone, 891
- Parenteral feeding(s), 863-880
 - complications of, 471-473
- Parenteral nutrition, enteral vs, 870
 - preoperative, noninfectious complication rates with, 866
 - value of, 864
- total, 865-870. See also *Total parenteral nutrition*.
- Parenteral therapy, in head and neck cancer, 605-607
- Paresthesias, paroxysmal, in multiple sclerosis, therapy for, 236
- Parkinson's disease, clinical features of, 169-170
 - depression, dementias, and hallucinations in, 178-179
 - diagnosis of, 169-173
 - differential diagnosis of, 170-171
 - etiology of, 172-173
 - fluctuations in, 178
 - future directions in, 179-180
 - genetic susceptibility to, 173
 - initiation of therapy for, 176-178
 - management of, update on, 169-183
 - neural transplantation in, 180
 - neurodiagnostic studies in, 171
 - novel pharmacologic strategies in, 179-180
 - pathology and neuropharmacology of, 171-172
 - pharmacologic therapy of, 173-176
 - presymptomatic diagnosis in, 179
 - surgical approaches to, 180
 - treatment strategies for, 176-179
- Parotid gland, swelling of, fine-needle aspiration of, 619
- Paroxysmal disorders, in multiple sclerosis, therapy for, 235-236
- Paroxysmal nocturnal hemoglobinuria, and ischemic stroke, 87-88
- Partial thromboplastin time, elevations of, 299
- Pathogens, in foods, adverse reactions to, 717-718
- Patient-caregiver relationship, in tuberculosis, effect on therapy compliance, 1292-1293
 - enhancement of, 1293-1295
- PCB contamination, in food, 719
- Pellagra, secondary dementia with, 222
- Pemoline, for fatigue, in multiple sclerosis, 234
- Penicillamine, absorption of, influence of food on, 819
 - for rheumatoid arthritis, effects of, 456
- Penicillin, absorption of, influence of food on, 819
- Pentamidine, for tuberculosis, in AIDS-infected patients, 1386
- Pentobarbital, for intracranial hypertension, 68
- Pentoxyfylline, in cerebral ischemia prevention, 103
- Peptic ulcer disease, and upper gastrointestinal bleeding, 979-982

- diet therapy for, 881-882
- Percutaneous transhepatic biliary drainage, for acute cholangitis, 1022
- Perforation, in diverticulitis, 1155
- Perfusion, evaluation of, for lung resection, 318-319
- Pergolide, for Parkinson's disease, 174-175
- Pericolic abscess, in diverticulitis, 955
- Periodic paralysis, with hyperthyroidism, 254-255
- Perioperative period, psychiatric medications in, 443-448
- Peripheral nerve metastasis, of systemic cancer, neurologic complications of, 271-272
- Peripheral neuropathy(ies), monoclonal proteins and, 125-139
 - multiple myeloma and, 131
 - osteosclerotic myeloma and, 131-133
 - POEMS syndrome and, 131-133
 - primary systemic amyloidosis and, 133-135
 - Waldenström's macroglobulinemia and, 130
 - with human immunodeficiency virus infection, 14-15
 - with hyperthyroidism, 253
 - with hypothyroidism, 257-258
 - with isoniazid, 1270, 1280
- Peripheral vascular surgery, antimicrobial prophylaxis for, 435
- Peritonitis, in diverticulitis, 956, 1155
- Personal respirators, for tuberculosis control, 1332
- Personal safety, in directly observed therapy, for antituberculous therapy noncompliance, 1298
- Pharmacodynamics, of drug-food interactions, 816
- Pharmacologic therapy, for obesity, 902-904
- Pharmacologic variables, and neuroleptic malignant syndrome, 187-188
- Pharyngeal stage, of normal swallow, 572-573
- Pharyngoesophageal defect, microvascular reconstruction for, 681-682
- Phenobarbital, absorption of, influence of food on, 819
- Phenol chemical peel, 662-664
- Phenothiazines, for diabetic neuropathy, 120
- Phenylpropanolamine, for appetite suppression, 903
- Phenytoin, absorption of, influence of food on, 819
 - and fulminant liver failure, 1060
- Phonation, anatomy and physiology of, 634
- Phonatory ability, analysis of, in voice disorders, 554
- Phonosurgery, for voice improvement and restoration, 633-641
 - of laryngeal framework, 637-638
- Phosphate loading, in athletic performance, 767-768
- Phosphorus, and osteoporosis, 895
- Photodynamic therapy, of head and neck cancer, 583-587
 - cellular effects of, 585
 - clinical experience with, 588-591
 - effects on tumors, 586-587
 - historical observations on, 584
 - light characteristics in, 587
 - photochemistry of, 584-585
- Photoradiation treatment, of head and neck cancer, sensitizers for, 583-596
- Physical impairment, in tuberculosis patient, risk of noncompliance in, 1291-1292
- Physiologic state, and neuroleptic malignant syndrome, 187
 - and surgical mortality, 328
- Pigment gallstones, pathogenesis of, 414-415
- Pill counts, for antituberculous therapy noncompliance, 1295
- Piroxicam, absorption of, influence of food on, 819
- Pituitary dysfunction, after head injury, 50-51
- Plants, toxic constituents of, 718
- Plasma cell dyscrasias, and poly-neuropathy, 126
- Plasma exchange, for monoclonal gammopathy of undetermined significance, 129
 - for multiple sclerosis, 243
- Plastic surgery, facial, 657-675. See also *Facial rejuvenation surgery.*
- Platelet(s), abnormalities of, 294
 - activation of, and thrombosis, 79
- Platelet count, preoperative determination of, 294-295
- Pleomorphic adenoma, of salivary gland, fine-needle aspiration of, 618
- Pleural effusion, in tuberculosis, in elderly, 1360
 - initial, 1238
- Pneumatosis, with intestinal ischemia, 958
- Pneumonia, aspiration, with total parenteral nutrition, 474
 - in head injury, 55
 - tuberculosis vs, in elderly, 1360
- Pneumoperitoneum, with abdominal pain, 943-946
- Pneumothorax, with catheterization, for total parenteral nutrition, 870

- POEMS syndrome, and peripheral neuropathy, 131-133
- Polyarteritis nodosa, and headache, 159-160
- Polycythemia rubra vera, and ischemic stroke, 87-88
- Polymerase chain reaction, in molecular genetics of tuberculosis, 1225-1228
- Polymyxin, for infection prophylaxis, in biliary tract surgery, 431-432
- Polynuropathy, diabetic, 114-116
- peripheral, myeloma and, 131-133
- POEMS syndrome and, 131-133
- Polyp(s), colonic, and acute lower gastrointestinal bleeding, 1097
- Polyp Prevention Trial, dietary management in, 738
- Polyporphyrin, in photodynamic therapy, of head and neck cancer, 584
- Portal hypertension, gastroesophageal varices in, 994
- Postoperative period, nutritional support in, 468-469
- Postural hypotension, with diabetic autonomic neuropathy, 115-116
- Potassium, absorption of, influence of food on, 819
- dietary, and blood pressure, 839-840
- Pouchitis, with ileoanal anastomosis, for toxic megacolon, 1145
- PPD skin test, for tuberculosis, 1244-1245
- Prednisone, for giant cell arteritis, 159
- for monoclonal gammopathy of undetermined significance, 129
- for multiple sclerosis, 240
- for myelodysplastic disorders, 920
- Preeclampsia, with acute fatty liver of pregnancy, 1118
- Pregnancy, acute fatty liver of, 1117-1119
- and fulminant liver failure, 1060
- and acute pancreatitis, 1040-1041
- and gallstone formation, 416
- effect on chronic liver disease, 1124
- effect on voice, 563
- hepatic emergencies in, 1115-1127
- hepatitis in, 1121-1123
- intrahepatic cholestasis of, 1117
- toxemia of, liver involvement in, 1119-1121
- tuberculosis treatment in, 1285
- Preventive therapy, for tuberculosis, 1263-1275. See also *Tuberculosis, preventive therapy for.*
- Prisoners, multidrug-resistant tuberculosis in, 1402
- Proctocolectomy, for toxic megacolon, outcome in, 1145
- Progressive multifocal leukoencephalopathy, with human immunodeficiency virus infection, 10-12
- Propantheline, absorption of, influence of food on, 819
- Propofol, for ambulatory surgery, 371-372
- Propoxyphene, absorption of, influence of food on, 819
- Propranolol, absorption of, influence of food on, 819
- and voice disorders, 565
- Propylene glycol, for vocal dysfunction, 569
- Prostaglandins, for fulminant liver failure, 1073-1074
- Prostate cancer, role of dietary fat in, 727
- Protein, and renal stone disease, 784
- effect on drug metabolism, 822
- in diabetic diet, 775-776
- in maintenance dialysis, 789-790
- intake of, effect in nephrotic syndrome, 790-791
- in nephrolithiasis, 785
- need for, determination of, 470
- requirements for, in elderly, 749-750
- utilization by skeletal muscle, 759-761
- Protein-C, inherited abnormalities of, and ischemic stroke, 80
- Protein calorie malnutrition, detection of, in head and neck cancer, 600
- Protein-energy malnutrition, in AIDS, 799-800
- Protein-S, inherited abnormalities of, and ischemic stroke, 80-81
- Prothrombin time, elevations of, 298
- in fulminant liver failure, and prognosis, 1068
- Pseudodementia, psychiatric, 225-226
- Pseudomembranous colitis, toxic megacolon in, 1133-1134
- Psychiatric disorders, preoperative care in, 443-451
- pseudodementia, 225-226
- transient hyperthyroxinemia in, 255
- with hyperthyroidism, 253
- Psychiatric medications, in perioperative period, 443-448
- Psychoacoustic evaluation, in voice disorders, 554-555
- Psychoses, major, neuroleptic malignant syndrome vs, 193
- Public health, protection of, legal mandate for, 1304
- Public health department, infrastructure of, and tuberculosis control, 1312-1313
- role in tuberculosis, 1303-1314
- tuberculosis control program of, containment, 1306-1309
- diagnosis and treatment assistance, 1305-1306
- goals, 1304
- in community, 1310-1311

- laboratory services, 1310
- newer approaches, 1311-1312
- prevention, education, and consultation, 1309-1310
- surveillance, 1304-1306
- traditional strategies, 1304-1310
- treatment evaluation, 1306
- Puerto Rico Heart Health Program, for coronary heart disease prevention, 851
- Pulmonary complications, in acute pancreatitis, 1051
- in fulminant liver failure, 1066
- postoperative, factors in, 312
- pathogenesis of, 310-311
- pulmonary risk factors in, 313-314
- Pulmonary disease, and perioperative transfusion, 342-343
- chronic obstructive, secondary dementia with, 223
- Pulmonary edema, after head injury, 44-45
- Pulmonary embolism, after head injury, 46-47
- pathophysiology of, 397-398
- prophylaxis against, in orthopedic surgery, update on, 397-411
- modalities for, 400-402
- recommended, 402-407
- risk factor classification for, 398-399
- Pulmonary function, abnormalities of, in scleroderma surgical patient, management of, 460
- effect of anesthesia on, 310-311
- testing of, high operative risk with, criteria for, 318
- preoperative, for pulmonary resection, 317-322
- value of, 309-325
- risk determinants and, 311-314
- nonpulmonary factors, 312-313
- Pulmonary infections, after head injury, 46
- Pulmonary intubation, in fulminant liver failure, 1072
- Pulmonary resection. *See Lung resection.*
- Purified protein derivative, tuberculin skin test with, 1244
- Purpura, thrombotic thrombocytopenic, and ischemic stroke, 86-87
- Pylorus, tube placement beyond, for enteral nutrition, 872
- Pyoderma gangrenosum, with diverticulitis, 1155
- Pyrazinamide, dosage and toxicity profile of, 1281
- for tuberculosis, development of, 1278
- in children, 1348
- dosage characteristics of, 1345
- in elderly, 1363
- in HIV-infected patient, 1380
- use of, 1257
- therapeutic range for, 1260
- Pyridoxine, deficiency of, in AIDS, 802
- for myelodysplastic disorders, 919
- for tuberculosis, in elderly, 1362
- utilization in athletic performance, 763
- Quinacrine, for acute infectious diarrhea, 1186
- Quinidine, absorption of, influence of food on, 819
- Quinolones, for tuberculosis, 1284
- Rabies, and viral encephalitis, 32-33
- Radiation enteritis, acute, total parenteral nutrition for, 869
- Radiation therapy, for brain metastasis, 267
- for cancer, parenteral nutrition with, 734
- for head and neck cancer, sensitizers for, 583-596
- for thyroid cancer, 535
- head and neck cancer caused by, 627
- neurologic complications of, 275-276
- secondary dementia with, 223-224
- Radioactive iodine, for thyroid cancer, 534
- Radiographic analysis, in dysphagia, 578
- Radioisotope scans, of thyroid masses, 526-527
- Radiologic procedures, therapeutic, for gastroesophageal variceal hemorrhage, 1005-1006
- Radiometric tests, for tuberculosis in children, 1342-1343
- Radionuclide scanning, for acute lower gastrointestinal bleeding, 1089-1090
- Ranitidine, for stress ulceration, 499
- Ranson's criteria, for pancreatitis, alcoholic, 1047
- nonalcoholic, 1048
- Reactivation tuberculosis, 1238-1239
- Rectum, dildo in, problems with removal, 1104
- Rectus abdominis muscle flap, for large soft tissue defects of head and neck, 680-681
- Recurrent laryngeal nerve, paralysis of, findings in, 639
- Red blood cell(s), transfusions of, adverse reactions from, 336
- for myelodysplastic disorders, 920
- Red blood cell scan, for acute lower gastrointestinal bleeding, 1092-1093
- Regurgitation, with dysphagia, 576
- Rehabilitation, for multiple sclerosis, 239
- Rehydration, for acute infectious diarrhea, 1182-1184

- Reinke's edema, of vocal cords, diagnosis and treatment of, 558
- Renal complications, in fulminant liver failure, 1065-1066
- Renal disease, end-stage, tuberculosis risk with, 1266
- with diverticulosis, 1156
- Renal failure, chronic, diet in treatment of, 788-790
- in acute pancreatitis, 1049, 1051
- postoperative, with intraoperative hypertension, 355
- total parenteral nutrition for, 867
- Renal function, and surgical mortality, 329
- preoperative tests of, 295-296
- Renal stones, composition of, and dietary recommendations, 786
- diet in, 783-788
- metabolic causes of, 786-788
- type and frequency of occurrence of, 786-787
- Renin levels, and salt-sensitivity, in hypertension, 835
- Respiratory distress, in tuberculosis in children, 1339
- Respiratory dysfunction, in voice disorders, diagnosis and treatment of, 561-562
- Respiratory factors, and surgical mortality, 329
- Respiratory function, evaluation of, for lung resection, 318-322
- Respiratory system complications, of head injury, 44-46
- Respiratory viruses, and viral encephalitis, 33
- Restriction fragment length polymorphisms, in molecular genetics of tuberculosis, 1223-1225
- Revascularization procedure, type of, and cardiac risk, 379
- Reversible dementias, 215-230
- Reynolds' pentad, in acute cholangitis, 1021
- Rheumatic disease, surgical patient with, management of, 453-464
- Rheumatoid arthritis, surgical patient with, drug management of, 455-457
- management of, 453-458
- perioperative infections in, 457-458
- physical considerations in, 457
- Rhinoplasty, case studies of, 652-654
- current trends in, 643-656
- endonasal, 648
- external, 649-650
- facial aesthetics in, 647-648
- ideal in, 644-645
- nasal obstruction and, 645-647
- of nasal dorsum, 651, 653-654
- of nasal tip, 650-651, 654
- physical examination for, 645
- preoperative view in, 646
- soft tissue techniques in, 651-652
- wound healing in, 648
- Rhytidectomy, cervicofacial suspension, 661-662
- results of, 663
- Riboflavin, absorption of, influence of food on, 819
- utilization in athletic performance, 762-763
- Rifampin, absorption of, influence of food on, 819
- and fulminant liver failure, 1060
- dosage and toxicity profile of, 1280-1281
- for tuberculosis, development of, 1278
- in children, dosage characteristics of, 1345
- in elderly, 1362
- in HIV-infected patient, 1380
- prevention by, 1269
- use of, 1255-1256
- therapeutic range for, 1260
- Rigler's sign, in pneumoperitoneum, 945
- Risk stratification, in vascular surgery, 380-381
- Rotation flap, for male pattern alopecia, 700-702
- Salivary gland neoplasms, fine-needle aspiration of, evaluation of, 617-619
- Salmonellosis, and acute infectious diarrhea, treatment of, 1187
- toxic megacolon in, 1133
- Sanitorium treatment, for tuberculosis, history of, 1277
- Scalp flap autografting, for male pattern alopecia, 690
- Scalp reduction, for male pattern alopecia, 700-701
- Scapula, osteocutaneous free graft of, for oromandibular defect, 684, 684-685
- Schizophrenia, dementia vs, 225-226
- Scleroderma, surgical patient with, management of, 459-461
- Sclerotherapy, endoscopic, for gastroesophageal variceal hemorrhage, 1001-1004
- complications of, 1003
- effectiveness of, 1003-1004
- Sedation, with antidepressants, 444
- with neuroleptic agents, 447
- Sedatives, and intracranial hypertension, 62
- Seizure(s), and intracranial hypertension, 64
- first, decision to treat, 203-205
- neuroleptic malignant syndrome vs, 193

- posttraumatic, medical consultation in, 500-502
 single-drug therapy for, 205-206
 tonic, paroxysmal, in multiple sclerosis, therapy for, 236
 with hyperthyroidism, 252-253
 Selegiline, for Parkinson's disease, 175-176
 Selenium, deficiency of, in AIDS, 801
 role in cancer incidence, 730
 Sepsis, catheter-related, with total parenteral nutrition, 875, 877
 Septoplasty, of nose, 649
 Serum enzymes, in myocardial contusion, 495
 Serum tumor markers, in head and neck cancer, 630
 Seven Country Study, of diet in coronary heart disease, 851-852
 Shellfish, paralytic poisoning by, 718
Shigella infection, toxic megacolon in, 1133
 Shock, in acute pancreatitis, 1049
 Short bowel syndrome, diet in, 885
 total parenteral nutrition for, 866
 Shunt procedures, for gastroesophageal variceal hemorrhage, 1006-1007
 Sick cell disease, and ischemic stroke, 82-83
 Sigmoid colon, volvulus of, 949-950
 Sigmoidoscopy, for acute infectious diarrhea, 1181
 for acute lower gastrointestinal bleeding, 1088-1089, 1092
 Sinemet, for neuroleptic malignant syndrome, 481
 for Parkinson's disease, 177
 Singing, voice abuse in, diagnosis and treatment of, 556-557
 Singing teachers, for voice disorder management, 558
 Sinovenous occlusive disease, in diabetes, 100
 Skeleton, fragility of, in osteoporosis, 890
 Skin, aging of, factors in, 658
 preparation of, for total parenteral nutrition, 875-877
 Skin cancer, photodynamic therapy for, 588-590
 Skin grafts, for surgical hair replacement, 694-702
 advancement flap, 699-701
 full (cylindrical), 695-696
 micrografts, 698
 minigrafts, 696-698
 rotation flap, 700-702
 skin flaps, 698
 Skull, cancer metastases to, neurologic complications of, 265-266
 fracture of, and infection, 55-56
 Sleep apnea, obstructive, secondary dementia with, 223
 Smoking, and postoperative pulmonary complications, 313-314
 and voice disorders, 565
 history of, in facial rejuvenation surgery, 661
 Sodium, in hypertension, 832-836. See also under *Hypertension*.
 intake of, in nephrolithiasis, 785
 loading of, for athletic performance, 768
 restriction of, potassium supplementation with, 840
 Sodium tetradecyl sulfate, for gastroesophageal variceal hemorrhage sclerotherapy, 1002
 Soft tissue defects, of head and neck, microvascular reconstruction in, 680-681
 Somatostatin, for gastroesophageal variceal hemorrhage, 998
 Sonography, for appendicitis diagnosis, 950-951
 Spasticity, in multiple sclerosis, therapy for, 232-233, 236
 Speaking, voice abuse in, diagnosis and treatment of, 556
 Speech-language pathology, in voice disorders, 566
 Sphincterotomy, endoscopic, for acute cholangitis, 1023
 for acute pancreatitis, 1028
 Spinal cord, diseases of, with human immunodeficiency virus infection, 13-14
 Spironolactone, absorption of, influence of food on, 819
 Spondylitis, ankylosing, surgical patient with, management of, 461
 tuberculous, in ancient Egypt, 1207
 Sprue, celiac, diet in, 885-886
 Sputum, examination of, for tuberculosis in children, 1341
 production of, and postoperative pulmonary complications, 313-314
 Squamous cell carcinoma, and airway obstruction, 544
 of head and neck, photodynamic therapy for, 590-591
 St. Louis encephalitis, virus causing, 28
 St. Thomas Atherosclerosis Regression Study, for coronary heart disease prevention, 858-859
 Starvation, and stress response, in head and neck cancer, 597-599
 in AIDS, 797
 patient at risk for, identification of, 863-865
 Steam inhalation, for laryngitis, 561

- Steroids, and toxic megacolon, 1136, 1142
for gout, in surgical patient, 459
- Stomach, foreign bodies in, problems with removal, 1104
- Stool characteristics, with acute lower gastrointestinal bleeding, causes of, 1087
- Strength training, protein requirements in, 760
- Streptomycin, dosage and toxicity profile of, 1282
for tuberculosis, development of, 1277
in children, dosage characteristics of, 1345
in elderly, 1363
in HIV-infected patient, 1380
shortage of, 1348
use of, 1257
- Stress response, starvation and, in head and neck cancer, 597-599
- Stress ulceration, in trauma patient, incidence of, 496-497
management of, 498-500
medical consultation in, 496-500
pathophysiology of, 497-498
prophylaxis for, 499
risk factors in, 498
- Stroboscopy, examination by, in voice disorders, 554
- Stroke, acute, hemostasis evaluation in, 88-89
embolic, headache with, 155-156
in diabetes, 95-110. See also *Diabetes, stroke in.*
ischemic, abnormalities of hemostasis in, 77-94
headache with, 155-156
mechanisms and hemostasis in, 77-80
prevention of, aspirin in, 103-105
with systemic cancer, 274-275
- Subarachnoid hemorrhage, and headache, 149-152
- Subclavian catheter, insertion of, for total parenteral nutrition, 871-872
- Subdural empyema, in head injury, 56
- Subglottic stenosis, and airway obstruction, 545
- Submalar augmentation, in facial rejuvenation, 670-672
complications of, 672
indications for, 670-671
- Substance abusers, tuberculosis in, risk of noncompliance in, 1291
voice disorders in, 564-565
- Sucralate, for stress ulceration, 499
- Sulfasalazine, in cerebral ischemia prevention, 103
- Sulfinpyrazone, in cerebral ischemia prevention, 103
- Sulfonamides, absorption of, influence of food on, 819
- Sulphamethoxydiazine, absorption of, influence of food on, 819
- Sun exposure, and skin aging, 658
- Surgery, age as risk factor for, 327-333
antimicrobial prophylaxis for, 427-441
infection risk with, 428
minimal hemoglobin requirement for, 335-347
mortality in, variables affecting, 328-332
postoperative pulmonary complications with, 312-313
procedures in, for gastroesophageal variceal hemorrhage, 1006-1007
risk of, factors in, 312-313
timing of, and surgical mortality, 331
- Surgical patient, age of, and postoperative pulmonary complications, 313
evaluation of, rational scheme for, 312
preoperative pulmonary testing of, need for, 316-317
- Surveillance, in tuberculosis control, 1304-1306
- Swallow, disorders of, diagnosis and therapy of, 571-582. See also *Dysphagia.*
normal, 572-573
esophageal stage, 573
oral preparatory stage, 572
oral stage, 572
pharyngeal stage, 572-573
observation of, in dysphagia, 577-578
- Syphilitic meningitis, with human immunodeficiency virus infection, 5-6
- Systemic cancer, neurologic complications of, 265-278
- Systemic disorders, neuroleptic malignant syndrome vs, 193-195
- T lymphocytes, in cellular immunity development, in tuberculosis infection, 1240-1242
- Tachycardia, in malignant hyperthermia, 484
with antidepressants, 444
- Tay-Sachs disease, and resistance to tuberculosis, 1214
- Teflon injection, for vocal cord paralysis, 548
- Temporal lift, surgery for, 670
- Temporal lobectomy, for intractable epilepsy, 210-212
- Tension headache, 147-148
- Terlipressin, for gastroesophageal variceal hemorrhage, 998

- Tetracycline, absorption of, influence of food on, 819
 for acute infectious diarrhea, 1186-1187
 Tetrodotoxin, in fish, 718
 Thalassemia, iron deficiency anemia vs, 916-917
 Theophylline, absorption of, influence of food on, 819
 Thiamine, deficiency of, secondary dementia with, 222
 utilization in athletic performance, 762
 Thoracic surgery, antimicrobial prophylaxis for, 435
 for pulmonary resection, preoperative pulmonary testing in, 317-322
 Thrombocythemia, essential, and ischemic stroke, 87
 Thrombosis, instigation of, 79
 Thrombotic thrombocytopenic purpura, and ischemic stroke, 86-87
 "Thumbprinting", with intestinal ischemia, 958
 with ulcerative colitis, 948
 Thyroid, cancer of, **517-538**
 adjuvant treatment of, 534-535
 anaplastic, 522
 classification, pathology, and biology of, 518-524
 distant metastases with, treatment of, 535
 epidemiology of, 517-518
 follicular, 521-522
 Hurthle cell, 522
 medullary, 523-524
 papillary adenocarcinoma, 518-521
 treatment of, 530-533
 primary tumor, 530-532
 selection of, 530
 surgical management of neck, 533-534
 disease of, neurologic complications of, **251-263**
 lymphoma of, 524
 masses of, evaluation of, 524-530
 blood tests, 525-526
 diagnostic schema for, 528-529
 fine-needle aspiration, 527, 530
 history and physical examination, 524-525
 radioisotope scans, 526-527
 thyroid-stimulating hormone suppression, 527
 ultrasonography, 526
 nodule(s) of, fine-needle aspiration of, 619-622
 risk factors for malignancy in, 531
 solitary, algorithm for, 621
 Thyroid-stimulating hormone suppression, in evaluation of thyroid masses, 527
 Thyroid suppression therapy, for thyroid cancer, 534-535
 Thyroiditis, silent, food-induced, 716
 Thyroplasty, for vocal cord repair, 639-640
 Thyrotoxic periodic paralysis, with hyperthyroidism, 254-255
 Tickling, in voice disorders, 553
 Ticlopidine, in cerebral ischemia prevention, 105, 106
 Tobramycin, for diverticulitis, 1160
 Tongue, carcinoma of, photodynamic therapy for, 590-591
 Tonic seizures, paroxysmal, in multiple sclerosis, therapy for, 236
 Tonsillitis, in voice disorders, diagnosis and treatment of, 559
 Total hip replacement, pulmonary embolism/deep vein thrombosis prophylaxis in, 403-404
 Total knee replacement, pulmonary embolism/deep vein thrombosis prophylaxis in, 405-407
 Total parenteral nutrition, 865-870
 and gallstone formation, 416
 complications of, 471-473
 disadvantages of, 875-877
 duration of, 873-875
 in AIDS, 804-805
 indications for, 467-468
 Total urinary nitrogen, calculation of, 604
 Toxemia, of pregnancy, acute fatty liver of pregnancy vs, 1118
 liver involvement in, 1119-1121
 Toxic megacolon, **1129-1148**
 clinical and radiographic presentation of, 1136-1139
 definition of, 1129-1130
 diagnostic evaluation for, 1132
 differential diagnosis of, 1131-1134
 incidence and mortality of, 1130-1131, 1144
 laboratory studies in, 1139
 medical and surgical outcome in, 1144-1145
 medical management of, general, 1139-1141
 specific, 1141-1143
 pathogenesis and predisposing factors in, 1134-1136
 patient monitoring in, 1140
 Toxins, in foods, adverse reactions to, 718-719
 neuroleptic malignant syndrome vs, 194-195
 Toxoplasmosis, with human immunodeficiency virus infection, 9-10
 Trace elements, and aging, 749
 Tracheal stenosis, and airway obstruction, 545

- Tracheostomy, for airway obstruction, 542-543
- Tranquilizers, and confusional states, 224-225
- Transfusion, hazards of, 336-338
 circulatory overload, 338
 hemolytic reactions, 338
 hepatitis, 337-338
 human immunodeficiency virus, 336-337
 improved safety of blood supply for, 338-339
 perioperative, recommendations for, 342-343
 threshold for, with surgery, 335
- Transient ischemic attacks, in diabetes, 99
 prevention of, aspirin in, 103-105
- Trauma, multiple, medical consultation in, 493-507
- Travel, with diabetes, 778
- Travelers' diarrhea, acute infectious, 1173-1174
- Tremors, in multiple sclerosis, therapy for, 238-239
- Triangle sign, in pneumoperitoneum, 945
- Tricyclic antidepressants, for diabetic neuropathy, 120
 in perioperative period, 445-446
- Trigeminal neuralgia, paroxysmal, in multiple sclerosis, therapy for, 235
- Trimethoprim-sulfamethoxazole, for acute infectious diarrhea, 1186-1187
 for diverticulitis, 1161
 for infection prophylaxis, in genitourinary surgery, 433
- Truncal neuropathy, diabetic, 118
- Tube placement, problems with, in total parenteral nutrition, 473
- Tubercle bacillus, growth of, 1236
- Tuberculin skin test, 1244-1245, 1266
 anergy with, 1245
 booster phenomenon with, 1244-1245, 1267
 false-negative, reasons for, 1267
 in children, 1340-1341
 in elderly, 1355-1357
 false-negative, 1357
 status of, and tuberculosis risk, 1359
 survival in reactors vs nonreactors, 1357
 in HIV-infected patients, 1373
 reaction to, classification of, 1268
 recent converters in, and tuberculosis risk, 1266
- Tuberculosis, 1205-1409
 active, in nursing homes, risk of, 1358-1359
 among Africans, 1209-1210
 among native Americans, 1208-1209
 as airborne infection, 1316-1317
 building ventilation and air flow control of, 1321-1322
 as global epidemic, history of, 1205-1217
 BCG vaccination against, 1246
 case management approach to, 1307-1308
 chemotherapy for, development of, 1211
 contact investigations in, 1308-1309
 containment of, 1306-1309
 control of, administrative, 1331
 environmental, 1315-1334
 in community, healthcare facilities and, 1310-1311
 newer approaches to, 1311-1312
 personal respirators for, 1332
 source, 1330-1331
 diagnosis and treatment assistance for, by public health department, 1305-1306
 disseminated, immunity in, 1237
 droplet nuclei vs respiratory droplets in, 1316-1317
 drug-resistant, treatment of, 1348
 drugs for, 1253-1262
 education in, 1309-1310
 epidemic of, beginning of, 1207-1208
 epidemiologic data on, 1305-1306
 evolutionary pressure of, 1213-1214
 exposure to, risk following, 1265
 genetics of, 1219-1234
 background of, 1219-1220
 molecular, 1221-1230
 DNA hybridization probes, 1222-1223
 ligase chain reaction, 1228
 luciferase reporter assay, 1228-1230
 polymerase chain reaction, 1225-1228
 restriction fragment length polymorphism, 1223-1225
 high-risk groups for, 1336
 immunology of, 1235-1251
 in AIDS patients, chemoprophylaxis for, 1386
 environmental controls in, 1385-1386
 identification and treatment of, 1385
 public health and legal aspects of, 1383-1386
 in Asia, 1210-1212
 in children, 1335-1351
 clinical manifestations of, 1338-1340
 diagnosis of, 1340-1343
 epidemiology of, 1335-1338
 extrapulmonary, 1339
 treatment of, 1346-1347
 laboratory diagnostic methods for, 1343
 prevention of, 1349

- recommended regimens for, 1347
- treatment of, 1343-1349
 - drug dosage characteristics, 1345
 - principles of, 1344
 - therapeutic trials of, 1344
 - with HIV coinfection, 1346
- in elderly, 1353-1368
 - case rate of, 1354
 - clinical manifestations of, 1360
 - diagnosis of, 1361
 - epidemiology of, 1353
 - in nursing homes, surveillance for, 1365-1366
 - transmission of, 1357-1359
 - management considerations in, 1361-1363
 - prevalence of, 1354-1355
 - preventive therapy for, 1364-1365
 - risk of, by tuberculin status, 1359
- in HIV-infected patients, 1369-1390. *See also HIV infection.*
- in Pacific Islands, 1210-1212
- in prehistoric time, 1205-1207
- in United States, age distribution of, 1393
- observed vs expected cases, 1392
- in young adults, increase in, 1336
- infection with, extrapulmonary, 1239
 - identification of, 1266-1269
 - initial, 1237-1238
 - pathogenesis of, 1235-1239
 - probability model of, 1342
 - reactivation, 1238-1239
 - risk of, air filtration to reduce, 1324-1325
- infectiousness of, experimental data on, 1318-1319
 - infectious dose and, 1319-1321
 - past and present, 1317-1318
- inpatient care of, 1309
- laboratory services for, 1310
- miliary, immunity in, 1237
- morbidity and mortality of, initial, 1211
- multidrug-resistant, community and hospital-based surveys of, 1395-1397
- control of, 1403-1404
- epidemiology of, in United States, 1391-1409
- in HIV-infected patients, 1372-1373, 1399-1400
 - exposure to, 1374-1375
- outbreaks of, 1397-1400
 - common features of, 1398-1399
- risk factors for, 1394
- surveillance for, 1395
- natural resistance to, mechanisms of, 1212-1215
- outpatient care of, 1307-1309
- patient-caregiver relationship in, enhancement of, 1293-1295
- control issues, 1294-1295
- cultural differences, 1294
- institutional constraints, 1294
- technical vocabulary use, 1293-1294
- preventive therapy for, 1263-1275, 1309-1310
 - adherence to, 1272
 - current recommendations for, 1269-1270
 - effectiveness of, 1271
 - for high-risk groups, 1264-1266
 - history of, 1264
 - new directions in, 1272
 - toxicity with, 1270-1271
- previous treatment failure in, and risk of noncompliance, 1291
- probability of infection with, ventilation and, 1323
- public health department role in, 1303-1314. *See also Public health department.*
- reporting of, procedure for, 1304-1305
- restrictive measures in, 1309
- skin testing for, 1244-1245
- surveillance of, 1304-1306
- therapeutic drug monitoring in, 1259-1260
- therapy for, compliance with, 1289-1301. *See also Antituberculous therapy.*
- treatment of, 1277-1288
 - history of, 1277
 - public health department evaluation of, 1306
- Tuberculosis complex, genetics of, 1220
- Tuberculostearic acid, for tuberculosis diagnosis in children, 1343
- Tuberculous meningitis, in elderly, 1360
- with human immunodeficiency virus infection, 5
- Tumor markers, in head and neck cancer, 630
- "Turkey gobbler" deformity, facial rejuvenation surgery for, 659-660
- Typhilitis, abdominal pain in, 965
- Tyramine reactions, with monoamine oxidase inhibitors, 826
- Ulcer, endoscopic appearance of, Color Plate 1
- Ulcerative colitis, and toxic megacolon, 1131
 - radiographic appearance of, 948
- total parenteral nutrition for, 868-869
- toxic megacolon in, outcome in, 1144
- Ultrasonography, in diverticulitis, 1159
- of thyroid masses, 525

- Ultraviolet germicidal irradiation (UVGI),
for tuberculosis control, absence of
clinical trials of, 1327
application of, practical considerations
in, 1329-1330
misconceptions about, 1325-1326
safety of, 1326-1327
technical expertise in, 1327
theoretical and experimental basis of,
1327-1329
transmission prevention by, 1325
- Upper gastrointestinal bleeding,
nonvariceal, 973-992
approach to patient with, 976
causes of, 979, 981
clinical assessment of, 973
endoscopy in, 976
therapeutic, 976-979
choice of, 984
clinical trials of, 982-984
history of, 973-974
laboratory evaluation in, 975
mortality in, 974
physical examination in, 974-975
resuscitation in, 975
risk of rebleeding in, 981
- Upper respiratory tract infection, in voice
disorders, diagnosis and treatment of,
558-559
- Urethroplasty, transcystoscopic, as
ambulatory surgery, 370
- Urinalysis, preoperative, 299-300
- Urinary tract infection, in head injury, 55
- Urine testing, for antituberculous therapy
noncompliance, 1295-1296
- Ursodiol, for cholelithiasis, 419
- Vagotomy, and gallstone formation, 416
- Valium, and voice disorders, 565
- Valproic acid, absorption of, influence of
food on, 819
- Vancomycin, for acute infectious diarrhea,
1186
for bacterial endocarditis prophylaxis,
437-438
for infection prophylaxis, in cardiac sur-
gery, 430
in genitourinary surgery, 432
in neurosurgery, 433
- Varicella-zoster virus, and fulminant liver
failure, 1060
and viral encephalitis, 32
- Vascular anomalies, and nonvariceal upper
gastrointestinal bleeding, 984-987
- Vascular disorders, and acute lower
gastrointestinal bleeding, 1088, 1095-
1097
coronary artery disease with, 377
with systemic cancer, 274-275
- Vascular endothelial injury, and
thrombosis, 79
- Vascular surgery, cardiac risk stratification
prior to, 377-396
clinical risk stratification in, 380-381
hemodynamic monitoring during, 392
identification of patient at risk, 380-389
peripheral, antimicrobial prophylaxis for,
435
- Vasculitis, and acute pancreatitis, 1041
and headache, 156
- Vasoconstrictors, for vocal dysfunction,
568-569
- Vasodilator(s), for gastroesophageal
variceal hemorrhage, 998
myocardial imaging with, for vascular
surgery, 384-388
parenteral equivalents of, 359
- Vasopressin, for gastroesophageal variceal
hemorrhage, 996-998
- Vegetarian diet, effect on drug metabolism,
824
- Ventilation, evaluation of, for lung
resection, 318-319
- Vertebral artery, dissection of, and
headache, 154
- Vertebral metastasis, of systemic cancer,
neurologic complications of, 270
- Vibration, analysis of, in voice disorders,
554
- Vidarabine, for herpes simplex
encephalitis, morbidity after, 31
- Vincristine chemotherapy, neurologic
complications of, 276
- Viral encephalitis, 25-42
antiviral chemotherapy for, 38
diagnosis of, 34-37
disorders mimicking, 34
epidemiology and pathogenesis of, 25-27
treatment and prevention of, 37-38
virologic and serologic studies of, 36
viruses causing, 26-32
- Virus infection, and head and neck cancer,
627
- Visceral protein compartment,
measurement of, 601
- Visual aura, with migraine headache, 143
- Vitamin(s), deficiency of, in AIDS, 802
effect on drug metabolism, 823
fat-soluble, 746
importance of, 712
in elderly, 746-749
new uses for, 919-929
utilization in athletic performance, 762-
765
water-soluble, 747

- Vitamin A derivatives, for myelodysplastic disorders, 921-926
- Vitamin B₁₂, deficiency of, in acutely ill hospitalized patients, 913-915
- in AIDS, 802
- secondary dementia with, 221-222
- in elderly, 747-748
- utilization in athletic performance, 763
- Vitamin C, intake of, in nephrolithiasis, 785
- role in cancer incidence, 730
- supplementation with, in AIDS, 806
- utilization in athletic performance, 763-764
- Vitamin D, and bone, 891
- for myelodysplastic disorders, 926
- in elderly, 748-749
- intake of, effect in nephrotic syndrome, 791
- Vitamin E, role in cancer incidence, 730
- utilization in athletic performance, 764
- with vitamin A, for myelodysplastic disorders, 925
- Vitamin K, deficiency of, in acutely ill hospitalized patients, 917
- for bleeding prevention, in fulminant liver failure, 1071
- Vocal cord(s), examination of, in dysphagia, 576
- functional anatomy of, 634-635
- functions of, 552
- injury to, in voice disorders, diagnosis and treatment of, 559
- medialization of, 639-640
- for vocal cord paralysis, 547-548
- microsurgery of, 637-638
- paralysis of, and airway obstruction, 545-547
- management of, 547-548
- origins of, 546
- surgical approaches to, 548
- positioning of, 547
- Vocal fold, cysts of, diagnosis and treatment of, 558
- hemorrhage of, diagnosis and treatment of, 559
- Vocal nodules/polyps, diagnosis and treatment of, 557
- Vocal pitch, surgical changes in, 640
- Voice, abuse of, diagnosis and treatment of, 556-557
- disorders of, 551-570
- assessment of, 635-636
- common diagnoses and treatments in, 555-564
- drugs for, 567-569
- history of, 552-553
- physical examination in, 553-555
- therapy of, 566
- improvement and restoration of, phonosurgery for, 633-641
- production of, physiology of, 634
- rest of, for laryngitis, 560
- Volume disturbances, in voice disorders, 553
- Waldenström's macroglobulinemia, and peripheral neuropathy, 130
- Warfarin, absorption of, influence of food on, 819
- prophylaxis with, for deep vein thrombosis/pulmonary embolism, 400
- Water, balance of, after head injury, 49-50
- importance of, 712-713
- Watermelon stomach, and nonvariceal upper gastrointestinal bleeding, 985
- Weight, control of, in diabetes, 777
- loss of, in AIDS, 795
- in cancer, 732
- rapid, and gallstone formation, 416
- role in cancer incidence, 729-730
- Western Electric Company study, of diet and coronary heart disease, 849
- Western equine encephalitis, virus causing, 27
- Whipple's disease, secondary dementia with, 220
- White blood cell count, preoperative determination of, 293-294
- Wilson's disease, and fulminant liver failure, 1060
- Women, calcium in, 893
- Women's Health Initiative, dietary intervention for cancer in, 736-737
- dietary intervention for coronary heart disease in, 854
- Women's Health Vanguard Study, of dietary intervention for cancer, 736-737
- Women's Intervention Nutrition Study, of breast cancer, 738
- World Health Organization European Collaborative Group, for coronary heart disease prevention, 857
- Wound healing, in rhinoplasty, 648
- Young adults, tuberculosis in, increase in, 1336
- Zinc, deficiency of, in AIDS, 801
- utilization in athletic performance, 765
- Zutphen study, of diet and coronary heart disease, 850